

This issue contains the MARCH INDEX

# CURRENT LIST of MEDICAL LITERATURE

Vol. 16

March 25, 1949

No. 9-A



FOUNDED 1836

THE ARMY MEDICAL LIBRARY  
Washington, D. C.

1925  
CURRENT LIST  
OF  
MEDICAL LITERATURE

The **CURRENT LIST OF MEDICAL LITERATURE** is for sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Price: \$3.00 per year (\$3.75 foreign); 10 cents per single copy. All communications regarding subscriptions should be addressed to the Superintendent of Documents.

Published weekly by the **ARMY MEDICAL LIBRARY**, 7th Street & Independence Ave., S. W., Washington 25, D. C., as an intraservice publication of the Department of the Army. Lists articles of medical interest contained in current journals received. Subject index provided monthly. Exchange invited.

# EDITOR'S NOTE

The subject headings used in the indexes to the CURRENT LIST OF MEDICAL LITERATURE follow, in the main, the form of those established by the QUARTERLY CUMULATIVE INDEX MEDICUS, published by the American Medical Association, Chicago, Illinois.

Because of limitations of space, no cross references are included in the indexes to the CURRENT LIST. Users of these indexes are referred to the QUARTERLY CUMULATIVE INDEX MEDICUS for the necessary cross references to any desired subject.

In order further to conserve space, the subject subdivisions used have been abbreviated wherever practicable. A list of the abbreviations adopted appears below:

abnorm. abnormalities  
 accomm. & refrac. accommodation  
 and refraction  
 addict. addiction  
 admin. & dos. administration  
 and dosage  
 admin. & org. administration  
 and organization  
 anat. & histol. anatomy and  
 histology  
 appar. apparatus  
 artif. artificial  
 bact. bacteriology  
 bibliogr. bibliography  
 bod. body, bodies  
 chem. chemistry  
 comm. communicable  
 compl. complications  
 cond. conditions  
 congen. congenital  
 defic. deficiency  
 deform. deformities  
 degen. degeneration  
 dent. dental, dentistry  
 determ. determination  
 develop. development  
 diag. diagnosis, diagnostic  
 dis. diseases  
 disloc. dislocations  
 disord. disorders  
 econ. economic  
 educ. education  
 eff. effects  
 embryol. embryology  
 epidemiol. & statist. epidemi-  
 ology and statistics  
 etiol. & pathogen. etiology  
 and pathogenesis  
 exam. examination  
 excis. excision  
 exper. experimental  
 for. bod. foreign bodies  
 form. formation  
 fract. fractures  
 Gt. Brit. Great Britain  
 gyn. gynecology  
 hemorrh. hemorrhage  
 hered. heredity  
 hist. history  
 hosp. hospitals, hospitaliza-  
 tion  
 hyg. hygiene  
 immun. immunity

in inf. & child. in infants and children  
 indust. industrial  
 infarc. infarction  
 infect. infection, infectious  
 inflamm. inflammation  
 inj. injuries, injurious  
 innerv. innervation  
 insuff. insufficiency  
 med. medical, medicine  
 ment. mental  
 metab. metabolism  
 morphol. morphology  
 mortal. mortality  
 nerv. nervous  
 obst. obstetrics  
 obstruct. obstruction, obstruc-  
 tive  
 pathol. pathology, pathological  
 perf. perforation  
 phys. physical  
 physiol. physiology, physio-  
 logic  
 pois. poisoning  
 postop. postoperative  
 pregn. pregnancy  
 preop. preoperative  
 prep. preparation, preparations  
 preserv. preservation  
 prev. prevention  
 prod. production  
 progn. prognosis  
 progr. progress  
 psychiat. psychiatry, psychiatric  
 psychol. psychological, psychology  
 pub. public  
 regen. regeneration  
 roent. roentgenography  
 rupt. rupture  
 san. sanitation  
 seq. sequels  
 serv. services  
 soc. social  
 standard. standardization  
 strict. stricture  
 surg. surgery, surgical  
 ther. therapy  
 tox. toxicity  
 train. training  
 transm. transmission  
 transpl. transplantation  
 traum. traumatic  
 U. S. United States  
 wds. wounds



# CURRENT LIST OF MEDICAL LITERATURE

## SUBJECT INDEX

Vol. 16, Nos. 7-9 (pp. 481-720)

March 25, 1949

- ABDOMEN, 559u; acute cond. 519h,522d,615p; anat. & histol. 605n; cancer 635w; dis. 518r,595n; drainage 714r; pain 595o; pendulous 635j; surg. 555b,602k; tuberculosis 512n; tumors 511i,711k; wds. & inj. 511o,547w,550f,595m
- ABNORMALITIES AND DEFORMITIES, 524g,531n, 539f,549w,601-i,668i,695-1
- ABORTION, 579n; etiol. & pathogen. 497h; induced 590c; infect. 640j; legislation 523f; missed 548e, 596c; prev. 522a; tubal 580e
- ABSCESS, periurethral 717n; retroperitoneal 520k; subphrenic 506u,710o
- ABSORPTION SPECTRA, 566i,567i,577a
- ACCIDENTS, 652f,659c
- ACETABULUM, fract. 712o
- ACETATES, 485s,493t,643m,644e
- ACETONE, 598b
- ACETYLCHOLINE, 608e; eff. 700c
- ACID, p-aminobenzoic 489n,490s,502k,649f; arsanilic 699k; aspartic 577c; aspergillie 566e,566f; carboxylic 485f; p-chlorophenoxyacetic 654j; dialuric 485h,485i; fatty 493t,542c,562v,564u, 564v,565h,568o,568p,569q,568r,593q; galacturonic 576s; glucuronic 576s; glutamic 485b,607k, 643r,669t,683e; guanyle 486k; hippuric 512o, 585e; homogentisic 490s; hyaluronic 565d,650d; hydroxycinchoninic 698o; indolacetic 494f; ketoacids 486d; maleic 568g; mannuronic 576s; nucleic 564h,564r,577p; orotic 488g; oxalacetic 486d; pantothenic 484t,566n,591r,620n; pelargonic 489j; phthalic 484e; propionic 567q,690r; pteroylglutamic 505w,620v; pyruvic 565c,644e; suberic 568c; succinic 481f,485t; sulfuric 568n, 568s; uronic 643q
- ACID-BASE EQUILIBRIUM, 490e,598r,658r
- ACIDOSIS, determ. 679c; in inf. & child. 583q
- ACNE, 649n; rosacea 590i; ther. 510d,668n,669e
- ACOUSTICS, 493f
- ACRIDINE DYES, eff. 543t
- ACRIFLAVINE, eff. 581j
- ACROCEPHALY, 507o
- ACRODYNIA, ther. 515d
- ACROMEGALY, 574q
- ACTIDIONE, 566r
- ACTIN, 493k
- ACTINIDE, 494o
- ACTINOMYCES, 562u,652h
- ACTINOMYCOSIS, 525q; cervicofacial 647t; pulmonary 611d
- ADDISON'S DISEASE, 602w,651b,716m; compl. & seq. 504d
- ADENINE, 501u
- ADENOIDS, 591b; excis. 623-1,625n; hypertrophy 622u,624t
- ADOPTIONS, 588m
- ADRENAL PREPARATIONS, 561h,575d,597q,615k, 630e,645g,700d; eff. 516r,700b,700e; ther. 533a
- ADRENALS, cancer 639p; dis. 601c,607-i; excis. 607g,637a; hemorrh. 503n; insuff. 501p; pathol. 574n; physiol. 649v; secretion 493k; tuberculosis 677p; tumors 577e,600r,634e
- AEROSOLS, 503k,590i,629u
- AFRICA, 653s
- AGE, 581e,620p,652i,654p
- AGGLUTININS AND AGGLUTINATION, 562o; hemagglutination: 572k,584t,598n,608f,608k
- AGGRESSION, 618j
- AGRICULTURE, 653m
- AIR, bact. 495a,523v,550t,629u; impurities 658h; pressure 500h
- ALANINE COMPOUNDS, 484d,489-i; determ. 643j
- ALBUMIN, 494g,598a,620u,686o,693j
- ALCOHOL, tox. 575o
- ALCOHOLISM, 492e,525d,610t,630w,652q,652t,653j; etiol. & pathogen. 652q; prev. 652r; ther. 586c, 617q
- ALCOHOLS, eff. 698a
- ALCOHOLYSIS, 567e
- ALDEHYDES, 629o
- ALDOLASE, determ. 644t
- ALERTNESS, 701s
- ALKALOIDS, 630g,699i; determ. 697n
- ALLIUM, 611f
- ALLOXAN, 485h,485i,565r,574n
- ALOPECIA, 489e,507t
- AMEBAE, 626j
- AMEBIASIS, pulmonary 555k; ther. 709m,715b
- AMENORRHEA, 566r; etiol. & pathogen. 505-l; ther. 656m
- AMIDINES, 538c,630f
- AMIDONE, 566b,566c
- AMINES, 568t,624n,698j,701d,716i; sympathomimetic 698o
- AMINO ACIDS, 484k,564u,565e,572d,577g,600i,630e, 643h; determ. 567d,593k; eff. 591q,595u,634o, 643n,692g; ther. 680u,719j
- AMINOPHENANTHRENE, 568w
- AMMIDIN, 699-l
- AMMIDIN, 699-l
- AMMONIA AND AMMONIUM COMPOUNDS, 565m, 567u,644c,690t; eff. 495o; quaternary ammonium compounds 597u,606p,634b,634c
- AMNIOTIC FLUID, 580c,656m
- AMPUTATION, 678r,712w; compl. & seq. 553q, 635r,711p
- AMPUTATION-STUMPS, 590q,612q,670q; pain 688d
- AMYLASE, 553n,566-l
- AMYLOIDOSIS, 515e,626u,661e
- AMYLOSE, 485r,566a,607u
- ANALGESICS, 571c,588h,595-1,697a
- ANAPHYLAXIS AND ALLERGY, 561f,581e,581f, 582d,598j,603n,610a,618u,624a,663s,665j,668j, 669p,673c,674k; bacterial 559e,691g; diag. 623-l; etiol. & pathogen. 572i; exper. 513o; manifestations 489i,505g,529f,561p,571o,716q; mechanism 561p; serum & vaccine 544t; ther. 671i
- ANATOMY, teaching 677n
- ANDROGENS, 575d; eff. 491q,628c; ther. 505n, 650v,660-l
- ANEMIA, 509p,542u,572s,587i,597e; aplastic 498v, 509b,521 i,539-i,680o; blood in 667w,668b; erythroblastic 540j,598p,628w,629h,679d; hemolytic 499g,521g,584t,594-l; hypochromic 505u,680n; in pregn. & puerperium 594m,656a; sickle cell 499e, 628b; splenic 587u; ther. 587h,600-1,606a,657n, 680p
- ANEMIA, PERNICIOUS, 600e,643s,675j; blood in 584d; compl. & seq. 584p; pathol. 587i; ther. 512k,556j,617s
- ANESTHESIA, 481j,481m,481r,481v,553w,604u, 624a,654q,662k,696h,709g; appar. 482a,681q; barbital and barbital derivatives 481f,481o,482a,

- 711h; blood in 698g; carbon anhydride in 610p; choice of 481w, 579j; compl. 481n; conduction 481k, 481m, 548k, 552i, 601r, 690n; curare in 518b, 550b, 608t, 698-l; eff. 481u, 659e; hist. 589p; in dent. 570-l, 646f; in gyn. & obst. 498j, 503i, 514u, 523b, 636e; in inf. & child. 599c; in Switzerland 551c; in tonsillectomy 481i; intratracheal 481p, 604q; local & regional 503s; nesdonal 677w; nitrous oxide 523b, 571d; pentothal-curare 612c; scopalamine 481e; spinal 481g, 504h, 614u, 660-l, 714s
- ANEURYSM**, 588-l; arteriovenous 548q, 593i, 683w; basilar 592c; cardiac 483r, 500k, 530a; carotid 509g; cerebral 687a; coronary 609u; innominate 518n
- ANGER**, 631h
- ANGINA**, Ludwig's 646e
- ANGINA PECTORIS**, 519b, 593a; ther. 507w, 524c, 596a, 599d, 616r, 673j
- ANILINE AND ANILINE DERIVATIVES**, 527o, 658d
- ANKLE**, fract. 500t; wds. & inj. 558v
- ANTABUSE**, 663u
- ANTHRAX**, bacilli 582s, 615h
- ANTHROPOLOGY**, 482c, 495i, 664m; in Brazil 482e
- ANTIBIOTICS**, 498b, 514v, 520w, 526w, 531h, 538d, 538f, 562u, 582r, 669k, 674f, 679k, 704f, 706v
- ANTIGENS AND ANTIBODIES**, 561n, 566p, 566q, 567m, 581o, 659d, 665w, 692i
- ANTIMALARIALS**, 582n, 583i, 637r, 638o
- ANTIMONY AND ANTIMONY COMPOUNDS**, ther. 695i
- ANTIPYRINE**, 510u
- ANTISEPSIS AND ANTISEPTICS**, 719h
- ANTRYCIDE**, 493c
- ANUS**, anat. & histol. 710k; cancer 552r, 593u; dis. 531k, 661m, 668s; imperforate 504n; surg. 709j
- ANXIETY**, 529j
- AORTA**, abnorm. 516g, 610w; dilatation 707-l; in-suff. 664a; strict. 513g, 513p, 516h, 551h, 554k, 707-l; surg. 513g; syphilis 611w
- AORTIC VALVE**, strict. 502g; surg. 613e
- APHASIA**, 688a; visual 534s
- APICECTOMY**, 569s, 684a
- APPARATUS**, 651s, 700v, 709r
- APPENDECTOMY**, 531u, 597c; compl. & seq. 709o; mortal. 711a
- APPENDICITIS**, 530g, 604p; compl. & seq. 554v, 600c; in inf. & child. 628q; mortal. 549j; ther. 548i
- APPENDIX**, cancer 563v, 595o; dis. 530e; diverticu-la 552q; perf. 600c
- APYRASE**, 565b, 565c
- AQUEOUS HUMOR**, 542n, 621v
- ARACHNODACTYLIA**, 537b
- ARACHNID**, tumors 688r
- ARCHAEOLOGY**, 646q
- ARCTIC REGION**, 493g, 682m
- ARMS**, abnorm. 555d
- ARRHYTHMIA**, 483p, 483s, 503a, 697r, 697t; auricu-lar fibrillation 483n, 524t; auricular flutter 611s, 642i, 642w; ther. 556g, 670c
- ARSENIC AND ARSENIC COMPOUNDS**, tox. 571u, 611i, 640i
- ARSPHENAMINES**, 697n; tox. 516d, 538u
- ARTERENOL**, 698m
- ARTERIES**, abnorm. 641e; basilar 592c; carotid 549q; cerebellar 684j; cerebral 592f, 683w; dis. 529e, 602v; eff. of drugs on 713u; gastroepiploic 592a; innominate 518n; mesenteric 505j; periph-eral 598e; popliteal 551e; pulmonary 592n, 659k; roent. 584m; spasm 523n; surg. 557o; thyroid 605c; wds. & inj. 548c, 586h
- ARTERIOSCLEROSIS**, 659n; cerebral 597q; compl. & seq. 506g; etiol. & pathogen. 537n; metab. in 659p; renal 592c
- ARTHRITIS**, 682p; exper. 607c; gonorrheal 659a; surg. ther. 712a; ther. 559h; tuberculous 585e
- ARTHRITIS, RHEUMATOID**, 503f, 515e, 524g, 637n, 660j; pathol. 490g, 628u; ther. 557j, 590g, 673o
- ARTHROPODS**, 648q
- ASCARIASIS**, 506u, 662u; compl. & seq. 555s
- ASCARIDIA GALLI**, 544e, 544f
- ASCITES**, 497p, 666p
- ASCORBIC ACID**, 489-l, 568a, 620b, 654j; metab. 537v; ther. 678t
- ASELOMARIS**, 562d
- ASIATICOSIDE**, 577v
- ASPERGILLOSIS**, 547r
- ASPHYXIA**, 543c; neonatorum 575v, 611o, 672i, 694a
- ASTHENIA**, 503w, 528s
- ASTHMA**, 503h, 510f, 513a, 662u, 663s, 691g; cardiac 610f; compl. & seq. 595d; diag. 524u; etiol. & pathogen. 582d; in inf. & child. 556f; pathol. 596o; ther. 503k, 514b, 518i, 529o, 590s, 592g, 632r
- ATABRINE**, tox. 694d
- ATAXIA**, hereditary 619a, 684w
- ATHLETICS**, cardiovascular aspects 586w
- ATOMIC BOMBS**, 525c, 531j
- ATOMIC ENERGY**, 559q; med. application 682c
- ATROPINE**, 698-l
- ATROPHY**, muscular 528g
- ATTITUDE**, 630u, 653n
- AUREOMYCIN**, 493p, 599q, 601h, 639-l, 654g, 696d; ther. 513e
- AURICULOTEMPORAL SYNDROME**, 533o
- AUTOMATISM**, 678k
- AUXIN**, 585k, 565-l
- AVIATION AND AVIATORS**, 641m; physiol. & pa-thol. eff. 641n; tests 641o; transportation of wounded & sick 641o
- AXILLA**, dis. 586d
- AZO COMPOUNDS**, 486e
- BACITRACIN**, 531t, 554d
- BACKACHE**, 556p, 585b, 588f, 615o, 712v; ther. 635m
- BACTEREMIA**, 504c, 711e
- BACTERIA**, 485p, 542m, 562t, 564w, 615h, 700d; abor-tus & melitense group 582h; acetobacter 486p; acid-fast 626h; aerobic 582o; anaerobic 582g; antagonism 608u; anthracis 647q; azotobacter 562r; cereus 562s; clostridium 552i, 564u, 663b, 663c; coli 560h, 562p, 609g, 643q, 699m; coryne-bacteria 560n, 718p; culture 494e; culture medi-ums 705u; influenza 528h; lactic acid group 484j, 591n, 644g, 645a, 645b, 645c, 645d, 645-l, 645m; meg-aetherium 562n; mesentericus 538d; metadysen-tery 658-l; mycobacteria 482n, 562s; subtilis 563d; typhoid group 640c
- BACTERIOLYSIS**, 644q
- BACTERIOPHAGE**, 581j; typhoid group 528-l
- BAL**, 698d
- BALSAM**, 496a
- BANANAS**, dis. 493u
- BANDAGING**, 496j; hist. 576o
- BARBITAL AND BARBITAL DERIVATIVES**, tox. 530f, 597a, 669e, 675i
- BARLEY**, 565c
- BARTHOLIN'S GLANDS**, cancer 601j, 656-l
- BATHS**, 700n
- BATS**, 493v
- BEANS**, 577r
- BEDBUGS**, 545e
- BEEF**, vitamin content 608q
- BEEES**, 493e; stings 681o
- BEHAVIOR**, 630m, 630s, 674k, 683k, 687o, 701v; in animals 606q
- BEHCET'S SYNDROME**, 615u
- BENEDIKT'S SYNDROME**, 677-l
- BENZENE**, 556h; tox. 503e
- BENZOATES**, 566h, 640o, 719-l
- BERYLLIUM**, metab. 645i

BESNIER-BOECK DISEASE, 677u

BEVERAGES, alcoholic 652s

BIBLE, 532r

BILE, 574b, 574o; chem. 482t; extravasation 679j; pigments 528t, 572m; secretion 553g

BILE DUCTS, cysts 634j; dis. 636j; obstruct. 613g, 634s; rupt. 634k; strict. 553g, 613i, 634j, 634p; wds. &amp; inj. 508o, 520h

BILIARY TRACT, abnorm. 511e; dis. 529q; exam. 676-l; pain 665q; surg. 510a, 553g, 664u, 664v, 664w, 665a

BIOCERIN, 562s

BIOLOGY, 495h, 509f, 559q, 576c, 654n, 718j

BIOMETRY, 563q

BIOPSIES, 626n; instruments 505e

BIOTIN, 486n, 591r

BLACKWATER FEVER, ther. 587c

BLADDER, cancer 601f, 614e, 717g; dis. 521e, 716s, 718b; drainage 605g; echinococcosis 510m; eff. of drugs on 716i; exstrophy 504n, 713q; for. bod. 559h; hernia 491j, 511d; inflam. 717b; innerv. 699r; paralysis 558k, 592a, 597r; physiol. 687i; rupt. 558j, 716v; surg. 504f, 558i, 586n, 717v, 718a; tumors 516j, 558v, 717h

BLASTOMYCES, 562v, 650-l

BLASTOMYCIN, 706d

BLASTOMYCOSIS, 527a, 617w, 661b, 661d

BLINDNESS, 537k, 681b; etiol. &amp; pathogen. 513i; in inf. &amp; child. 537-l

BLISTER FLUID, 489o

BLOOD, 510g, 576f, 720a; acetylcholine 498j; alcohol 678g; amino acids 484s, 574h, 644n, 644p, 644t; bilirubin 528u; calcium 650v; carotene 662b; cells 502a, 524s, 650i; chem. 481h, 595t, 597c, 625v; chlorides 542n; cholesterol 504a, 572p, 644r, 649p; cholinesterase 518v, 593e, 607e; circulation 489g, 546j, 555v, 597w, 637i, 656g, 686k; coagulation 498u, 499n, 541t, 583r, 584e, 590q, 693j; count 608t; eff. of drugs on 658r; enzymes 687s, 687t, 678w; exam. 510u, 516d, 613u, 626o; fats &amp; lipoids 537c; fibrin 565q, 693h, 693k; fibrinogen 577e; form. 498w, 545k; groups 497h, 576d, 576e, 576f, 577f, 577i, 584d, 626j, 672w; iodine 553p; iron 490-l, 490m; ketone bod. 598b, 644m; mannitol 608j; nicotine 698k; oxygen 490h, 659f; oxygen consumption 700k, 700-l; parasites 637t; penicillin 594b; phosphatase 692m; phosphorus 491t; physiol. 607n, 657-l; picture 628d, 672m; pigments 496a, 616p; plasma 490t, 500w, 713n; platelets 499-l, 584e, 587u; potassium 512c, 573p; proteins 485g, 486e, 490j, 500r, 519e, 551t, 584f, 588e, 597c, 644i, 667w, 668b, 686o, 693j; prothrombin 490b, 501v, 587j; pyridoxine 606r; reaction 589o, 664g; sedimentation 504g, 584g, 672b; sodium compounds 589g; sorbitol 608j; sorbose 608i; sucrose 608i; sulfonamides 582k; urea 681i; volume 655e, 675n

BLOOD PRESSURE, determ. 495i; in India 585d; low 505f, 700n

BLOOD PRESSURE, HIGH, 489v, 502e, 515w, 587n, 599h, 611b, 613n, 659m, 675r; compl. 659t; etiol. &amp; pathogen. 483p, 519b, 546-l; in inf. &amp; child. 513j; metab. 612v; pathol. 520o; surg. ther. 510c, 519u, 535b, 551r, 554i, 554-l, 584k, 584-l, 636i, 670s; ther. 511a, 515i, 531b, 538t, 554h, 556e, 666-l, 670m, 675-l, 678h, 710b

BLOOD SUGAR, 523i, 533c, 565i, 644m

BLOOD TRANSFUSION, 500v, 540u, 541c, 543b, 554n, 603w, 674u, 678b, 694r; compl. &amp; seq. 711g; donors 490a; preserved blood in 550i, 626c; substitutes for 518o; technic 572q, 600b

BLOOD VESSELS, 710a; dis. 496v, 507r, 515i, 546k, 597l, 673h; roent. 707i; surg. 636h; transpl. 555c

BODY, weight 545e, 581e

BOECK'S SARCOID, 623o, 677u

BONES, atrophy 635h; blood supply 600d; cancer

507h; cysts 635b; dis. 518p, 546q, 674e, 711c; growth 710q; marrow 486n, 498v, 499a, 501t, 505v, 507q, 511b, 517o, 520f, 524s, 550p, 615d, 645j, 658s, 659s, 668-l, 699e; physiol. 678t; roent. 525r; surg. 712p; syphilis 598o; transpl. 712p; tuberculosis 532-l, 605j, 635q, 635u, 660d; tumors 508i, 553b, 554a, 628g, 636k, 674r, 710r, 712r

BONNEMAISONIA, 577s

BORON COMPOUNDS, tox. 594p, 628h

BOTANY, 578p

BOUGAINVILLEA, 562d

BOUILLAUD'S DISEASE, 507i, 673d

BRACHIAL PLEXUS, 535f, 709g

BRAIN, 688g; abscess 524n, 535-l, 597i, 609s, 625j, 625o, 678e, 689a; anat. &amp; histol. 534e, 687p; atrophy 509q, 533u, 686m; cancer 616i; chem. 643e, 643f; cysts 535-l, 664s; dis. 627h, 687v, 688j, 688v; echinococcosis 688t; electroencephalography 518r, 522w, 538j, 606q, 618f, 683g, 684i, 687v; hemorrh. 507g, 686g, 675i, 685v, 692p; hernia 585j, 688u; pathol. 533v, 684h; physiol. 484n, 607u, 700g; roent. 687b, 712g; surg. 508p, 511o, 515u, 521t, 533b, 600o, 653q, 675s, 676g, 694c, 688b, 687j, 687k, 687-l, 688f; tumors 507g, 534b, 535e, 602p, 614f, 614g, 617w, 686m, 686s, 686v; wds. &amp; inj. 483p, 533k, 535i, 535j, 600p, 627j, 661h, 684d, 688c, 692p, 702m

BREAD, 655b

BREAST, cancer 505n, 508-l, 523o, 534c, 552h, 579o, 584h, 591u, 615b, 632i, 636q, 674a, 676h, 712f, 713f, 713g, 714j; dis. 604w; hypertrophy 544n, 660b; physiol. 486a; surg. 555f, 714g; tumors 483f, 555m, 632t

BROMIDE AND BROMINE, 568h, 568j; eff. 650h

BRONCHI, abnorm. 708h; calculi 669d; cancer

508g, 519b, 520-l, 556j, 557v, 564c, 592s, 623r, 712g; cysts 551j; obstruct. 633n; roent. 627p, 707s; rupt. 636o; secretion 708g; spasm 561o; tumors 509g, 707n

BRONCHIECTASIS, 547q, 660p, 708e; etiol. &amp; pathogen. 613u; in inf. &amp; child. 556e; ther. 555c, 671n

BRONCHOSCOPY, 527k, 624d

BRUCELLOSIS, 562k, 584g, 585k, 599s, 611s, 718o; compl. &amp; seq. 557-l; pathol. 686d; ther. 513n, 518g, 602a

BUCCAL GLANDS, 720r

BUERGER'S DISEASE, 548u

BULLIS FEVER, 681p

BURNS, 628r, 691p; compl. &amp; seq. 635h; ther. 500-l, 503r, 517o, 556m, 633v, 635h, 637k

BURSA, inflam. 500o, 559h, 712s

CADAVER, 517p

CAFFEINE, eff. 563k

CALCANEUM, 580o; fract. 521d

CALCIFICATION, 510m

CALCIUM AND CALCIUM COMPOUNDS, 565g, 681h; determ. 652c; metab. 540s; ther. 527c

CAMELS, 720r

CANADIAN RED CROSS SOCIETY, 663u

CANCER, 500u, 523r, 558d, 599v, 605w, 606h, 619p, 653i, 653j, 713g, 713i; adenocarcinoma 598g; blood in 671o; cells 526b, 587t; chorionic 497a; clinics 550n; compl. &amp; seq. 674-l; diag. 497d, 513n, 521t, 548-l, 550n, 572s, 609o, 619b, 633q, 661p, 661q, 713c; epidemiol. &amp; statist. 513b; epithelioma 552r, 648u, 649s, 675c; etiol. &amp; pathogen. 489e, 500g, 521g, 530b, 588b, 614i, 642n, 711r; exper. 522m, 642c, 642d, 642i; in inf. &amp; child. 611q; in N. J. 669g; metastases 497q, 520-l, 523o, 523p, 551-l, 579p, 601f, 623p, 627p, 649s, 658b, 667p, 678j, 710e, 710p, 712f, 713f; mortal. 672o, 642-l; multiple 616i; prev. &amp; control 510e, 531n, 709p; surg. ther. 519o, 527h, 549o, 597h, 609u; ther. 499b, 506g, 509r, 564d, 614b, 630b, 659w, 707r, 710m, 712k

CANNABIS, 677m

CANNING AND CANNED FOODS, 620e



- CARBAMATES, 562p  
 CARBON COMPOUNDS, 578t,645j; radioactive 485t,643g,643o  
 CARBON DIOXIDE, 494t,607-1,638h,644d; eff. 533n, 700t; radioactive 485s,567q  
 CARBON TETRACHLORIDE, tox. 508s  
 CARBONATES, 485s  
 CARDIAC OUTPUT, 655a,660a  
 CARDIOLOGY, 605h  
 CARDIOVASCULAR DISEASES, 584c,609w,659o; diag. 506q,584m; syphilis 521a,610j; ther. 521c, 583r,658w,673h,678h  
 CARDIOVASCULAR SYSTEM, 689k; function tests 522p; in old age 599k; roent. 508t,633c,666k; wds. & inj. 524f  
 CAROTENE, 565o,578g; digestion 615f  
 CAROTID BODY, tumors 605c  
 CAROTID SINUS, 523k,643b,683g  
 CARTILAGE, 561v  
 CASEIN, 565a  
 CATAPLEXY, 685k  
 CATARACT, 690i; extraction 526q,537e,621q,690v, 691b; senile 602e  
 CATHARTICS, 696r  
 CATHETERIZATION, 717w  
 CATS, 560d  
 CATTLE, breeding 560a; dis. 560w,718s,718t,719i; feeds & feeding 559v,719m,719p,719q,719r,719s  
 CAVERNOUS SINUS, 615v  
 CECUM, obstruc. 714d  
 CELIAC DISEASE, 509t; ther. 539d,556m  
 CELLS, 482u,529t,563k; division 608v; eff. of radiation on 607a; mitochondria 578e; physiol. 563h  
 CELLULITIS, 717n  
 CENTELLOSIDE, 578a  
 CEREBELLOPONTILE ANGLE, tumors 676v  
 CEREBELLUM, abscess 534v; physiol. 678v; tumors 688s  
 CEREBROSPINAL FLUID, 517j,535f,625k,625w, 686o,688m; histamine 593n; penicillin 686r; tests 541n  
 CESAREAN SECTION, 497a,527v,555f,655w,656k, 666d; technic 501j,679n  
 CHANCER, 649s; extragenital 665m  
 CHARACTER, 702m  
 CHARCOT'S DISEASE, 587c  
 CHEMISTRY, 494o,495t,614-1,699d  
 CHEMOTHERAPY, 482n,520e,520k,578o,590a,659w, 674t,712c; in dent. 571k  
 CHICKENPOX, 578a,694o,694p  
 CHILD WELFARE, 539v,595j,695g; in N. Y. 602h; in Sweden 545c  
 CHILDREN, dis. 516a; educ. & train. 527j,665a; growth & develop. 539w,540a,540b,540c,540d, 540e,540f,540g,614w; nerv. & ment. disord. 539j, 590r; nutrition 540s; physically defective 545d; psychol. 683d  
 CHINCHILLA, 562h  
 CHLORIDES, 542q,653v,698i; metab. 598a; tox. 720p  
 CHLORINE AND HYPOCHLORITE DERIVATIVES, 544i,632e  
 DICHLOROETHYL SULFIDE, 508b,508c,508e; tox. 700u  
 CHLOROETHYLAMINES, 563u,603c; ther. 505v, 583v,584q  
 CHLOROMYCETIN, 595t,696d  
 CHLOROPHYLL, prep. 548a  
 CHOLENE, 567c  
 CHOLEPERITONEUM, 550c  
 CHOLERA, immun. 707c; in Egypt 522u; vibrio 493m  
 CHOLESTERASE, 678w  
 CHOLESTEROL, 537n,649g; determ. 572p; eff. 692t; metab. 659p  
 CHOLINE AND CHOLINE DERIVATIVES, 493q,607k, 655b,686h  
 CHOLINESTERASE, 498j,608p,696i  
 CHORIOMENINGITIS, 592w  
 CHROMATOGRAPHY, 542e,577c,577d,577k,654u  
 CHROMOSOMES, 493h,496d,496n,496o,496p,496t, 563m,655h  
 CHRONAXIA, 694k  
 CHRONOGRAPH, 533r  
 CHYLOTHORAX, 633w  
 CHYMOTRYPSIN, 644j,644n  
 CINCHONA, 696v  
 CIRCUMCISION, 616h  
 CISTERN MAGNA, abnorm. 685a  
 CITRININ, 564t  
 CLAVICLE, dis. 677b; fract. 668q,677j; surg. 589u  
 CLIMATE, 560v,666u  
 CLONORCHIOSIS, 660c  
 CLOVER, 563p  
 COBALT, eff. 511g  
 COCCIDIOIDIN, 704q  
 COCCIDIOSIS, 577p  
 COCCYX, disloc. 517-1  
 CODEINE, eff. 698h  
 COLCHICINE, tox. 664e  
 COLD, anesthesia 518k; eff. 501b,637k,700m  
 COLITIS, in inf. & child. 541b; ulcerative 520b, 553s,573b,573s,610d,673r,673s,709k,713-1  
 COLLOIDS, 651r  
 COLON, abnorm. 508v,549m,555f; cancer 520c, 520g,521r,550s,554q,563w,586s,611r,667n,673b, 709k,713j,714o; dilatation 525m,661f,682d; dis. 667k,675i,689e; diverticula 573v; obstruc. 710j; physiol. 658p; roent. 573-1; surg. 551v,678b; tumors 636g,673b,713h; wds & inj. 682k  
 COLOR, 651u  
 COLOR BLINDNESS, 701k,702r  
 COLOR PERCEPTION, 577f,690n,702i  
 COLOSTOMY, 549s,554p,709h  
 COMA, 597n  
 COMMUNICABLE DISEASES, 606g; in Gt. Brit. 631o; in inf. & child. 523u; in Italy 706r  
 COMPLEMENT, fixation 577i,674q,692j,692k,692-1  
 CONCEPTS, 702w  
 CONDYLOMA, ther. 571v  
 CONGO RED, 697u  
 CONJUNCTIVA, 621u; dis. 690e  
 CONSERVATION, 653p  
 CONSTITUTION, 681g  
 CONTRACTURE, Dupuytren's 604a; ischemic 550w  
 CONVULSIONS, 684k; etiol. & pathogen. 539j; exper. 687m; ther. 695w  
 COOKING, 689u  
 COPPER, 484i,496p,607m,690i; radioactive 656o  
 COR PULMONALE, 503o,660p  
 CORNEA, 621h; conical 536r; hemorrh. 690k; herpes 537a; tumor. 620m; surg. 621t; ulcers 621t, 672p  
 CORONARY SINUS, rupt. 693a  
 CORONARY VESSELS, 643a,659h; dis. 502g,520u, 603f,659r,660m,667c,619p; occlusion 508q,608n, 614q,679q  
 CORSETS, 587d  
 COSMETICS, 542d,542g,559g,621u  
 COSMIC RADIATIONS, 495k  
 COUGH, 616d  
 CRANIUM, anat. & histol. 488b,563q; dis. 636t; fract. 595t; osteomyelitis 535m,611c; pathol. 507p; surg. 554f; tumors 621o,681f; wds. & inj. 535o,685a  
 CRAYONS, 510g  
 CREATINE AND CREATININE, metab. 485e  
 CREEPING ERUPTION, 489r  
 CRETINISM, hered. 539a  
 CRIME AND CRIMINALS, 492g,492h; psychol. &



- psychiat. aspects 532e  
 CRUVEILHIER-BAUMGARTEN SYNDROME, 508w  
 CULTURE MEDIUMS, 626p  
 CURARE, 518a,550e,616o,698e,697u,709o; eff. 498j, 604s,684k; standard. 496j; ther. 600g  
 CURIUM, metab. 485w  
 CUSHING SYNDROME, 650w  
 CYANIDES, 645h  
 CYANOSIS, 533n,595i,599k,646g; in inf. & child. 663v  
 CYCLOBUTANE, 568b  
 CYCLOHEXANE, eff. 719a  
 CYCLOPHORASE SYSTEM, 643u  
 CYCLOT-RON, 653e  
 CYSTINE AND CYSTEINE, 484p,645c; metab. 643-l; radioactive 484r  
 CYTOCHROME, 608a  
 CYTOSINE, 488c  
 DDT, 706n; eff. 607p; tox. 688e  
 DEAFNESS, 670-l; etiol. & pathogen. 575h,695e; prev. 619j; ther. 591c,606k,623h,692c  
 DEATH, sudden 481n  
 DECUBITUS, 635j  
 DEFICIENCY DISEASES, 587i,620s,705i; etiol. & pathogen. 519s,620j  
 DEGLUTITION, disord. 554e  
 DEHYDRATION, 553-l,572q  
 DELINQUENCY, 529p,533h,543m,559-l,575t,605m, 684q  
 DEMENTIA PRAECOX, 533n,581u,630p,683-l,685i; diag. 617m; ther. 611b,617h  
 DEMEROL, 481e,669e  
 DENTISTRY, 487q,488g,569g,569w,570e,645v,646b, 646o,646q,647k,669c,682j,705b; appar. 646a; econ. 648g; educ. 570n,610d,647k,647-l; in art & literature 488c; in Canada 570j,570k; in U.S. 488d; orthodontic 569g; soc. aspects 487u,647w, 648a; technic 569j  
 DENTURES, 570a,570j,570w,646d,646j,681u  
 DEPRESSION, in old age 579h; ther. 601c,684p  
 DERMATITIS, 503h,649o,649r,649u,696b; diag. 489o; etiol. & pathogen. 650f; exfoliativa 504q; herpeti- formis 526a; ther. 489q,561i,718d  
 DERMATOLOGY, 488s,601t,673-l; hist. 488q; in U.S. 527e  
 DERMATOPHYTES, 626o  
 DERMOMETER, 687r  
 DETERGENTS, eff. 608f  
 DEUTERIUM, 577m,644f  
 DEXTRAN, 516o  
 DEXTRIN, 567j,567k  
 DEXTROSE, 484q,565a  
 DIABETES MELLITUS, 528r,574n,605d,605v,620j, 659m; acidosis in 489t,502a; blood pressure in 510r; coma in 521o,597n,615v; compl. & seq. 609c,716s; etiol. & pathogen. 651b,651c; exper. 485v,593o; eyes in 658u; hered. 529f; in inf. & child. 511f,583q,603q,664j; pathol. 537r; phlorrh- zin 620s; pregn. & diabetes 519p,628s; ther. 613h,615t,675c,689s; tuberculosis & diabetes 604b; urine in 519m  
 DIACETYL PEROXIDE, 568j,568k  
 DIAGNOSIS, 517a,541g,601v,669d,669j  
 DIAPHRAGM, eversion 521p  
 DIARRHEA, 500c; compl. & seq. 695j; in inf. & child. 540i,540k,594i,632a,668e,668o,693o,695c, 695o,695r  
 DIARYLDIAMINOALKANEDIOLS, 568b  
 DIASONE, eff. 650g  
 DIATHERMY, 555v  
 DIATHESIS, hemorrhagic 515k  
 DIAZO REACTION, 692q  
 DIBENAMINE, 597v,607p,687c,697r  
 DICUMAROL, 597t,654i,693f; eff. 622b; ther. 557o; tox. 506p  
 DIET AND DIETETICS, 620r,700j; dis. & diet 502e, 556h; exper. studies 482w; salt-free 680c  
 DIGESTIVE SYSTEM, 482v,546e; anat. & histol. 562e; cancer 614f  
 DIGITALIS AND DIGITALIS PREPARATIONS, 524e, 696o,697g; eff. 643b,696s; metab. 490d; ther. 597r; tox. 622a  
 DIHODOTYROSINE, 490s  
 DIMERCAPROL, 629w  
 DIMETHYLAMINO BENZENEDIAZO SODIUM SUL- FONATE, 698v,698w  
 DIOSCOREA, 638m  
 DIPHTHERIA, 528a,676n,695a,695k; bacilli 538c, 485q; conjunctival 621-l; diag. 705u; epidemiol. & statist. 703u; immun. 539n,631r,675b,695f; in animals 719k; toxin 577g  
 DIPTERA, 638-l  
 DIQUINOLYL, 496p  
 DISASTERS, 500-l,657v  
 DISEASE, 587b,590j,653k; chronic 674h; phys.- ment. relationships 616t  
 DISINFECTION AND DISINFECTANTS, 523v  
 DISSECTION, 665u  
 DISTOMIASIS, 666f  
 DIURESIS AND DIURETICS, 502u,522p,607n,613n, 654r,660h,700p,700q  
 DOGS, dis. 640o  
 DRAINAGE, 558k  
 DREAMS, 569e  
 DRESSINGS, 640m,718d  
 DROSOPHILIA, 562f  
 DRUGS, 506-l,542b,542e,542g,629q,669j,689i,699h; admin. & dos. 587v,658i,687t  
 DUCTUS ARTERIOSUS, 516h,602q  
 DUODENUM, dis. 499m; diverticula 549h,707o,709n; pathol. 554p; physiol. 573g; surg. 685c  
 DURA MATER, abnorm. 685a  
 DUST, 591p  
 DYES, 494n,652-l,698r  
 DYSCONDROPLASIA, 626w  
 DYSENTERY, 541c; amebic 658-l; bacilli 541d, 597b,703v  
 DYSMENORRHEA, ther. 672i  
 DYSNPEA, 610f  
 DYSTOCIA, 497-l  
 DYSTROPHY, 498n,508q,540u; muscular 532n,565m  
 EALES'S DISEASE, 536n  
 EAR, 522k,525t; differential diag. 589r; external 635g,691u; for. bod. 623u; internal 617k,623w, 624b,625c,625d,625k,625m,666q,690o,700a; mid- dle 612f,623k,623v; surg. 521j; tuberculosis 623g, 666h,691-l; tympanic membrane 691p  
 EASTMAN DENTAL CLINIC, 569-l  
 ECLAMPSIA, 527s,655t; compl. & seq. 517b; epi- demiol. & statist. 501j; ther. 675u  
 ECONOMICS, MEDICAL, 560v,592q,594j; fees 500a; in Scandinavia 648g; plans for med. serv. 595a, 660g,660u,664c,703r,704a; types of practice 593w, 704c  
 ECTHYMA, 577i  
 ECZEMA, 572d; diag. 561g; ther. 506s  
 EDEMA, 587m,590o; angioneurotic 651g; cardiac 524d; etiol. & pathogen. 625g; hered. 629j; ther. 660h  
 EDUCATION, MEDICAL, 500-l,514d,514h,672h,679v, 704c; premed. course 614-l; teaching 557k  
 EGGS, 563o,620v,654a,689u  
 EGYPT, 519t  
 EHLERS-DANLOS SYNDROME, 528g,611n  
 ELBOW, dis. 712s  
 ELECTRICITY, 663f; inj. eff. 687u,684q  
 ELECTROCARDIOGRAPHY, 483p,483r,502r,524e, 542u,593v,599f,604v,639d,642q,642s,642u,654c, 655a,658v,659a,665s,676b,683g

- ELECTRODIAGNOSIS, 683p  
 ELECTROENCEPHALOGRAPHY, 518r, 522w, 538j, 606q, 618f, 678s, 683g, 687v  
 ELECTROLYSIS, 651o  
 ELECTROLYTES, 563j, 567o  
 ELECTRONARCOSIS, 684h  
 ELECTROPHORESIS, 497g, 651i  
 ELECTROSHOCK, 523h, 533j; eff. 533c; ther. 533a  
 ELECTROTHERAPY, 591w, 594q, 601c, 618e, 618j, 683r, 684k, 701q, 701s  
 ELEMENTS, CHEMICAL, 495d  
 ELEPHANTIASIS, 608w; congen. 629j  
 EMBOLISM, 503s, 579t, 598e, 626s; etiol. & pathogen. 590c; gas 544t, 657f; pulmonary 594t, 601t, 603u, 664k, 713o; ther. 549p, 551a  
 EMBRYOLOGY, 654e, hist. 580o, 580p  
 EMOTIONS, 503e, 521q, 680i, 701p  
 EMPHYSEMA, etiol. & pathogen. 625n; mediastinal 518e; pulmonary 601g, 671j, 683a  
 EMPYEMA, 688v; ther. 540m; tuberculous 715q  
 ENCEPHALITIS, 507f, 533t, 614-1, 694p; compl. & seq. 693u; diag. 625m; postvaccinal 529i, 629m  
 ENCEPHALITIS, EPIDEMIC, 677e; pathol. 516c  
 ENCEPHALOMYELITIS, 533v, 534a, 546v, 629k, in Calif. 686-1  
 ENDAMOEBIA, histology 637s  
 ENDARTERITIS, obliterans 593i  
 ENDOCARDITIS, infect. 520j, 549p, 589n, 610a, 613q, 617f, 673q, 680b; ther. 502p, 605p  
 ENDOCRINE GLANDS, 511w, 689p; dis. 483e, 524h, 677d  
 ENDOCRINE THERAPY, 497e, 524p, 558d, 592-1  
 ENDOMETRIOSIS, 552b, 556n, 656d, 679v  
 ENDOMETRIUM, 564i, 657e; cancer 713k; tuberculosis 601s  
 ENTOMOLOGY, 545f  
 ENZYMES, 484t, 485c, 485d, 490v, 491a, 542m, 565r, 642g, 642h, 644v, 645-1, 653h; eff. 485p, 485v, 486p, 565s, 565t; proteolytic 563a, 642b  
 EOSINOPHILS, 577g, 598e, 609d, 610u, 660c, 662u, 662v, 663d; eff. of drugs on 657k  
 EPHEDERA, 699j  
 EPIDEMIOLOGY, 528b, 544j  
 EPIDIDYMITIS, abnorm. 711j; physiol. 574-1  
 EPILEPSY, 662g, 664f, 668h, 686j, 686k, 720t; diag. 541p, 675f; etiol. & pathogen. 683q; in animals 684m, 688i, 701t; in inf. & child. 629-1; mortal. 545f; myoclonus 587r; ther. 527i, 684e, 684p  
 EPIPHYSES, separation 662p, 713r  
 EPIITHELIUM, 493v  
 EQUILIBRIUM, 625k, 692f  
 ERYSIPELOID, in sheep 720u  
 ERYTHEMA, multiforme 502t, 615u, 615v, 691a; nodosum 539i, 693q  
 ERYTHROBLASTOSIS, FETAL, 504u, 629i, 656u; ther. 499k  
 ERYTHROCYTES, 542q, 542r, 562o, 563j, 581k, 583a; count 626-1; elliptical 502a; fragility 499d, 502n, 502o; morphol. 698q; prod. 499m, 693e  
 ERYTHRODERMA, 649b  
 ESOPHAGOSCOPY, 573f  
 ESOPHAGUS, abnorm. 510-1; cancer 612b, 642m; dilatation 560b; diverticula 714b; pathol. 675v; perf. 552n, 679p; surg. 711j; tumors 610o, 714k; varix 708j; wds. & inj. 530p, 537g, 605a  
 ESTERASE, 482j, 644n  
 ESTROGENS, 485o, 522g, 567u, 568d, 574o, 575c, 579r, 656u, 648p, 679v, 697i; eff. 499n, 548v, 612m, 615i, 639g, 639h, 639j; ther. 650v  
 ETHANOLAMINES, 697t  
 ETHER, 481d; eff. 597t  
 ETHMOID BONE, dis. 601n  
 ETHMOID SINUS, 624a; dis. 624m, for. bod. 624v; tumors 691j  
 ETHYL CARBAMATE, ther. 657j  
 ETHYLENE, 679h, 714t  
 ETHYLENE GLYCOL, 648k, 697k, 699m  
 EUGENICS, 579d  
 EUGLENA, 608b  
 EUNUCHOIDISM, ther. 660-1  
 EUSTACHIAN TUBE, 623h; dis. 691m  
 EVOLUTION, 483b  
 EXANTHEMS, 541-1  
 EXERCISE, eff. 700q, 700r; therapeutic 520v, 637i, 660w  
 EXOPHTHALMOS, 506h  
 EXPLOSIONS, 684d  
 EXTRAPYRAMIDAL TRACT, dis. 617t  
 EXTREMITIES, abnorm. 507o; cancer 710m; dis. 609f, 614o; wds. & inj. 511u  
 EXUDATES AND TRANSDUDATES, 491a, 646u  
 EYEIDS, abnorm. 536k; tumors 536w  
 EYES, 603b; abnorm. 602c, 677o; accomm. & refract. 536b, 536h, 536-1, 537i, 602e, 621h, 622d, 622f, 690h; anat. & histol. 641j; artif. 534t, 536u, 690j; diag. significance 507k, 622a, 685n, 690d; differential diag. 589r; dis. 537b, 629v, 658n, 660w, 691a; exam. 641-1; for. bod. 535u, 536b, 603s, 670b, 690u; hemorrh. 690g; melanosis 622j; movements 686w, 687-1; muscles 622e, 690f; paralysis 531j, 588-1; photography 536t; surg. 515v, 622g; tension 621n, 622j, 622w, 690g; tuberculosis 536f, 536o, 621j; wds. & inj. 511r, 530m, 603r, 621s, 629v, 701k  
 FACE, atrophy 507t; fract. of bones of 635i, 679o; gangrene 684j; surg. 502i, 591u; wds. & inj. 511t  
 FALLOPIAN TUBES, absence 656i; cancer 588w; torsion 680v  
 FAMILY, 545j  
 FASCIA, 639o, 708d  
 FASCIOLA, hepatica 560j  
 FASTING, 504j; eff. 644n  
 FAT, 589t, 597a; determ. 486b; digestion 615f; in diet 667c; metab. 607b  
 FATIGUE, 688-1; ther. 683s  
 FAVUS, 649d  
 FEAR, 532s, 558a, 631h  
 FECEs, exam. 719r; fat in 593q; urobilin 593r  
 FEEBLEMINDEDNESS, 538r, 614t, 660s, 669t; educ. in 546b; in inf. & child. 694i  
 FEMUR, deform. 641g; fract. 518k, 525p, 557d, 579i, 637c, 709w, 712d, 712o; surg. 550v, 662p  
 FENESTRATION OPERATION, 609r, 623n, 623j, 691r  
 FERMENTATION, 494h  
 FETUS, 655p; develop. 498e, 516k; membranes 657a; pathol. 628i; physiol. 692s; retention 679f  
 FEVER, hist. 515g; in inf. & child. 678s; ther. 637k; therapeutic 684r  
 FIBRID, 490v, 491a, 621s, 679h  
 FILARIA, 636v  
 FILARIASIS, 638p, 638t, 698r; eff. of drugs on 704v; exper. 504v; in Puerto Rico 706g; ther. 493n, 513k, 638d  
 FILTRATION, 542b  
 FINGERS AND TOES, 586-1; deform. 713c; dis. 517f; fract. 712n; surr. 566t  
 FISH, 493-1  
 FISTULA, abdominal 550s; anal 572a, 585h, 616b; anorectal 684q; antro-oral 571g; arteriovenous 643a, 687a; biliary 609-1, 637b; colic 548f; gastric 634n, 634o; gastroduodenal 525b; hepatoduodenal 634p; pancreatic 634v; perineal 504n; rectal 504n; rectourethral 717p; ureteral 677s; urethral 585h, 616h; urethrovaginal 526m; uterovesical 717m; vesicocapendical 639s; vesicocolic 717o; vesicovaginal 498r, 551p, 558v, 559b  
 FLAJANI-BASEDOW DISEASE, 677b  
 FLATULENCE, 591d  
 FLAVONES, 622b, 654i; eff. 608d  
 FLIES, 482r, 706n

- FLOUR, 581h; agenized 516p,593-1,684m  
 FLUIDS, 592g,655s,696p  
 FLUORENE, 654g,654m  
 FLUORESCENCE, 565f,650p,677i  
 FLUORESCENCE, 568m,571-1,646u,646w,667-1; tox. 569g,693v  
 FLUOROACETATES, tox. 698a  
 FOLIC ACID, 484v,493j,499b,499c,509m,564b,587h, 620a,689u,692g,692h  
 FOOD, 578o,654k; allergy 680t; in Sudan 638m; poisoning 632b,670a; preserv. 654a; san. 602k, 682o,720q  
 FOOT, deform. 529c,556g,633d,635c,674e,678-1, 713b; dis. 591i,665v; trench 626g; ulcers 585-1  
 FOOT AND MOUTH DISEASE, 718t; pathol. 718s  
 FOREARM, dis. 548n; fract. 532n,548o  
 FOREIGN BODIES, 594r; in air & food passages 570r,571i,623m,624v,636p,691n  
 FORESTRY, 576c,577-1  
 FORMALDEHYDE, 466m,489i,643v  
 FOWLPX, virus 560f  
 FRACTURES, 635a; compl. & seq. 585r,711q; ther. 516-1,555k,579i,579p,598k,605u,616-1,709w,711o; ununited 710-1,711m  
 FRIEDREICH'S DISEASE, 619a  
 FRONTAL BONE, deform. 625f; pathol. 507p  
 FRONTAL SINUS, dis. 624m,691p; mucocoele 517i, 691s; surg. 625a,625b  
 FROSTBITE, 594p; ther. 673a  
 FROZEN SECTION, 593s  
 FRUITS, dis. 495g,654f  
 FUNGI, 576g,628a,663s  
 FUNGICIDES, 665v  
 FURAN DERIVATIVES, 566s  
 GALACTOSE, determ. 562w  
 GALLBLADDER, abnorm. 613e; cancer 660v; dis. 514u,599w,605r,635e,668k,674m,714c; excis. 524a,678e; inflamm. 591m; roent. 675r,676-1; rupt. 628b; surg. 711b  
 GALVANOMETER, 702j  
 GANGLION, basal 522w  
 GANGRENE, 548t,605g; etiol. & pathogen. 551e, 588u; gas 538e,586s; ther. 609c  
 GANTRISAN, 610c  
 GAS, 651v  
 GASTRECTOMY, 513u,548-1,550s,553r,555a,555e, 673p,710d,710g; compl. & seq. 681c  
 GASTROENTEROSTOMY, 714b  
 GASTROINTESTINAL TRACT, 689h; cancer 551t, 641w; dis. 515u,631s,631u,669a,674g; pathol. 525g; physiol. 573q,615f; roent. 573j; tumors 635p  
 GAUCHER'S DISEASE, 599u  
 GEIGER-MÜLLER COUNTERS, 494t,578u  
 GELATIN, 549g,647u,670p,679h; eff. 485f  
 GENITALS, 496v; cancer 497d,614f; dis. 503t; innerv. 501a; tuberculosis 530s,551f,640b; tumors 539m,580c; ulcers 615u  
 GENITOURINARY TRACT, cancer 614d,614g; dis. 558g,689n; for. bod. 636a; tuberculosis 558r, 717-1  
 GERIATRICALS, 496s,543n,577j,579k,597m; dis. 579g; econ. & soc. aspects 705n; surg. in 549i,579i, 612e; wds. & inj. 712u  
 GERMICIDES, 629u,697f  
 GIGANTISM, 574q  
 GILCHRIST'S DISEASE, 661b,661d  
 GLANDERS, 660d  
 GLASSES, 547a,623a,641m,691c,691d; contact 527-1, 536i,691b  
 GLAUCOMA, 536c,536i,557c,621v,622k,622q,666r; compl. & seq. 517k; diag. 621v,622r; surg. ther. 622-1,622m,622t,690r; ther. 622a,690i  
 GLOBULIN, 681r,693j  
 GLOMUS TUMOR, 612g  
 GLOTTIS, edema 555p  
 GLUCIDES, 543d  
 GLUCOSE, 607o,643u,654p; determ. 484-1. eff. 575a, 597h  
 GLUCOSIDES, 566t,566u,566v  
 GLUTATHIONE, 542i  
 GLYCERITE, 594c  
 GLYCINE, 587f,644c,645j  
 GLYCOGEN, 485p,496c; in liver & muscle 643u,644d  
 GLYCOLS, 568k  
 GOITER, etiol. & pathogen. 620j; iodine & goiter 492p; ther. 520a  
 GOITER, EXOPHTHALMIC, in inf. & child. 694e; pathol. 627d; ther. 677b  
 GOLD AND GOLD COMPOUNDS, colloidal 626-1; determ. 706m; ther. 665r,673o  
 GOLGI APPARATUS, 578s,578g,627i  
 GONADOTROPINS, 491p,584o,656u,714p; chorionic 579p,574s; eff. 639g,639j  
 GONADS, 518u,655s; excis. 492b  
 GONOCOCCI, 572b  
 GONORRHEA, ther. 558p  
 GOUT, 598d  
 GRAAFIAN FOLLICLE, 518-1  
 GRAMICIDIN, 689a  
 GRANULOCYTOPENIA, 587k,623q,626e,667f; surg. ther. 657n,657o  
 GRANULOMA, 487n,539m,570p,603-1,628g,636k; inguinale 488j,650j; pyogenicum 648s  
 GRAVES' DISEASE, 651a  
 GROIN, tumors 716f  
 GROWTH, 482u,482v,493o,542g,574q,628c; exper. studies 482w,484s,485u,486p,495e,607b,620o,620u, 627g,643n,643s  
 bi GUANIDE DERIVATIVES, determ. 697c  
 GUANINE, 486k  
 GUANOSINE, 486k  
 GUILLAIN-BARRÉ SYNDROME, 603m,678c,685u  
 GUMS, 647h; dis. 570-1,570s,646e; roent. 571b; surg. 571g; tumors 647p,647s; wds. & inj. 646r  
 GYNECOLOGY, 500v,527b,657b,664r,675d; diag. in 580k,676-1; surg. in 550j; ther. in 497e  
 HAIR, abnorm. 649d; color of 562f; dis. 649j; excessive 505m; pathol. 650p  
 HALBAN DISEASE, 613c  
 HAND, dis. 594-1; infect. 505h; surg. 556t; wds. & inj. 501b  
 HARELIP, 571e,612f,713m  
 HAY FEVER, 503j; ther. 524i,561m  
 HEAD, anat. & histol. 713m; wds. & inj. 500j,511t, 556t,677-1,690d  
 HEADACHE, 529w,614k,685t,687b; ther. 616d  
 HEALTH, 631p,689j; educ. 631n,631p,631q  
 HEARING, disord. 522j,623r; physiol. 624a; tests 623k,625d  
 HEART, 522v,680f; abnorm. 520j,584u,612v,613p, 659j,700k,713q; block 483p,613o,695k; blood supply 495n,538b; calcification 707m; dis. 481s, 503o,510i,514t,515p,526e,526i,545t,556k,560u, 564n,564o,582a,596u,599e,599g,599h,613p,616u, 631-1,659b,660p,670c,670d,672u; eff. of drugs on 700b; electrocardiography 483p,483r,502r,524e, 542u,593v,604r,614k,639d,642q,642s,642u,654c, 655a,656v,659a,665s,676b,683g; function tests 659i,666j,699t; hypertrophy 483m,518m; infarct. 483o,507j,526s,593a,597i,614q,642u,642v,658v, 679q,693a; insuff. 490f,503c,512o,520i,525v,564r, 606p,611w,613n,643a,659o,660a,660e,670b; mur- murs & sounds 502g,605q,673q; physiol. 666a, 687d,699q,700c; rate 483p,516r,524t,642t; roent. 713u; surg. 524f,554m,599i,676k,711i; syphilis 519g,547o; tumors 483t,627o; valves 527d,549b, 676k; wds. & inj. 586f,694u  
 HEARTBURN, 513h

- HEAT, eff. 589-1,620u  
 HEDERINE, 679k  
 HELLTHERAPY AND PHOTOTHERAPY, 577u  
 HEMATHEMESIS, 588s,709t  
 HEMATODIN, 692p  
 HEMATOMA, 536a,680c  
 HEMATURIA, 524k,556r,639o; diag. 610k  
 HEMANOPIA, 686h,690e  
 HEMOCHROMATOSIS, 660e  
 HEMOGLOBIN AND HEMOGLOBIN COMPOUNDS, 486n,496a,545e,652n,667w,701b,701e; metab. 651k; reduction 485-l  
 HEMOGLOBINURIA, 681o  
 HEMOLYSIS, 713p  
 HEMOPHILIA, 498u,593c  
 HEMOPNEUMOTHORAX, 659q  
 HEMOPOIETIC SYSTEM, dis. 506k,576g,593e,705i  
 HEMOPTYSIS, etiol. & pathogen. 508h  
 HEMORRHAGE, 580f; blood in 543c; etiol. & pathogen. 506p,553d; exper. 551s; intra-abdominal 518-l,669r; postop. 623-l; ther. 487b  
 HEMORRHOIDS, 650o; ther. 679t  
 HEMOSIDERIN, 692p  
 HEMOSTASIS, 550d,670p,679h,688q,710c  
 HEMOTHORAX, 557i,581s  
 HEPARIN, 608w,642r; eff. 585c,608v; ther. 519q  
 HEPATITIS, 615p  
 HEPATITIS, INFECTIOUS, 591v,599v,613h,668v; compl. & seq. 573u; ther. 528f,573t,663b,663c, 675p  
 HEREDITY, 576i,651j; human 496t,576e,653r,680j, 680n; mechanism 563r,655e,655f,655i,655k,673e  
 HERMAPHRODITISM, 601i,604-l,634e,640d  
 HERNIA, 506p; diaphragmatic 518e,524p,531g, 547v,549c,551i,614s,635n,679p; femoral 548b, 635s; inguinal 556-l,636d,672h,676o,714k; internal 634-l; lumbar 512k; perineal 640w; sliding 592v; strangulated 636b; surg. ther. 532f, 549i; umbilical 548m,596t  
 HERPES, 625h; simplex 571s; virus 502t; zoster 572b,602c,614i,614o,674i,694p  
 HEXOGEN, 658d  
 HIBERNATION, 559t  
 HICUP, 501f; ther. 548j  
 HIP, dis. 508v,549v,590g,668i,678p; disloc. 665d, 711d,712o; fract. 555h,710q; surg. 551a,635n  
 HIRSCHSPRUNG'S DISEASE, 525m,682d  
 HISTAMINE, 493r,542w,543a,543b,561h,561j,565i, 567i,601d,608-l,614p,615r,630d,668r,671i,672e, 685m,696j,697c,697u,698b; eff. 527m,616d; tox. 503i  
 HISTOPLASMIN, 704q,706d  
 HISTOPLASMOSES, 501p,522d,596g,596t,662r,705a  
 HODGKIN'S DISEASE, 497e,504r,507v,584q,588k; pathol. 573d  
 HOGS, 720e; feeds & feeding 720g,720h,720i,720j, 720k  
 HORMONES, 615k,696-l; eff. 574k,713f; in urine 584j; sex 483f,497e,505f,509r,509v,579o,580j  
 HORSES, 559r; dis. 560u  
 HOSPITALS, 499w,587m; admin. & org. 516s,580w, 609h,704d,704e; animal 560-l; dent. serv. 646n; econ. 657t; fires 619h; obst. serv. 606f; pediatric serv. 657s; phys. med. in 637h; planning 499v,689-l; psychiat. 501g,619b,683f,683j; psychiat. serv. 672-l; roentgen ray serv. 707r; soc. service 703r; staff 580t,580u,591t,683a; surg. serv. 499v,602q,681m; veterans 701h; war measures 511p  
 HOUSING, 631m  
 HUMANISM, 530n  
 HUMERUS, 550r  
 HUNT'S SYNDROME, 671i  
 HYALURONIDASE, 493r,494c,552t,582q,606t,607q, 615k,650d  
 HYDANTOINS, 484d  
 HYDROCARBONS, 528s,568g  
 HYDROCELE, in inf. & child. 585i  
 HYDROGEN, peroxide 484c,594c  
 HYDROGEN ION CONCENTRATION, 484n,647f, 565f  
 HYDRONEPHROSIS, 561v,591f,717b; ther. 559a  
 HYDROTHORAX, 506a  
 HYDROXYLAMINES, 562r  
 HYGIENE AND SANITATION, 682o; in Arctic Region 703v; in Yugoslavia 545o; teaching 544i, 718-l  
 HYPNOSIS, 533i,618d; compl. & seq. 532h; in dent. 646b  
 HYPOGASTRIC PLEXUS, surg. 656p  
 HYPOSPADIAS, 640b  
 HYPOSPRAY, 481j  
 HYPOTHALAMUS, tumors 528i  
 HYSTERECTOMY, 604d  
 HYSTERIA, canine 720t  
 IDIOCY, mongolian 536r,683e  
 ILIUM, tumors 716f  
 ILLUSTRATIONS, med. 581c,689m  
 IMAGINATION, in inf. & child. 701m  
 IMMUNITY, 588a,659d,665p,668e,682n,705d  
 IMPETIGO, 649t  
 IMPOTENCE, 520r; ther. 677v  
 IMPREGNATION, 579d,580i  
 INDEX-CATALOGUE, 509c  
 INDIANS, AMERICAN, 482f,513r  
 INDOLE, 649f  
 INDUSTRY AND OCCUPATIONS, 575i,637m,663k, 669m,669n,705h; absenteeism 512m; dis. & pois. 489e,572d,575o,662-l,662m,662n,680h,696b,712v; hyg. 500i,500-l,575k,575q,596k,623a,631k,704i; inj. 489c,489d,658g; med. & surg. 500-l,575p, 586p,601k,669-l  
 INFANT WELFARE, in Switzerland 527p  
 INFANTS, care 703m; dis. 677o,678s,695w; feeding 516p,540i,598r,620k,620p,628k,695p; growth & develop. 595n,628v; mortal. 525t,539e,588p,596q, 629a; nutrition & nutritional disord. 504g,504-l, 540v,693n,694s; premature 538t,539p,545-l,693r, 693u  
 INFANTS, NEWBORN, 538j,539d,714o; blood in 628d; dis. 539g,539-l,576g,611o,628i,628s,628t, 632n,695d; inj. 511-l; weight 629e  
 INFECTION, 586a; compl. & seq. 490m; focal 569e  
 INFLUENZA, 599b,605m; epidemol. & statist. 605j,682n; immun. 628f,680f,695i; ther. 610s; vaccine 704f; virus 514q,537u,581k,608f,667p, 703s  
 INFRA-RED RAYS, appar. 576v; hist. 653n  
 INHALATION, appar. 496i  
 INHIBITION, 701w,702a  
 INJECTIONS, 481j,555o; intravenous 511-l,525a  
 INSANITY, 685-l,687i; manic-depressive 683r  
 INSECTICIDES, 578q,583d,583e,653c,706n; tox. 638g  
 INSECTS, 495-l  
 INSTINCT, 576-l  
 INSTRUMENTS, surg. 709q  
 INSULIN, 661e; eff. 574h,589t,598b,699p; ther. 529j, 533a,685e; tox. 683-l  
 INSURANCE, 527u; sickness 657v,703r  
 INTELLIGENCE, 703d  
 INTERVIEWS, 652e  
 INTESTINES, abnorm. 555f; anastomosis 639r; cancer 505b,530r,595b,713i; dis. 610e,617d,634h, 668d,680s; diverticula 519h,529e,547d,553c,610u, 627n; for. bod. 555i,681w; infarct. 530q,601u; inflamm. 586t; innerv. 661f; mucosa 485d; obstruct. 509t,519f,539f,540i,548j,548n,552m,554v, 555s,596t,617e,632n,709v; parasites 496g; pathol.

- 597a; perf. 529-1,555g,602m,628b,636p; physiol.  
613t; roent. 546g; surg. 687c,678b,681c,714i;  
tuberculosis 502m; tumors 523e,524q,603v,613-1,  
709m; vulvulus 529m,548k,616c,636b,710t,714d
- INTUBATION, 481n
- INTUSSUSCEPTION, 552q,596-1,709m,710g
- IODINE AND IODINE COMPOUNDS, 492n,492r;  
metab. 492p; radioactive 489m,492n,509o,602o,  
697s
- IONS, 577k,697n
- IRAQ, 672t
- IRIS, abnorm. 690-1
- IRON, 643n,689t; admin. & dos. 594i; tox. 629w
- ISOTOPES, 577b,643-1,668m,687s,697s; radioactive  
578-1,666c,682i
- JAUNDICE, 659p,663d; catarrhal 663c; diag. 491f,  
664o; in inf. & child. 598m; ther. 491h
- JAWS, anat. & histol. 570c,606i; cysts 550r; dis.  
516e,632r; exostoses 597-1; fract. 569m,569o,  
570v,571f; osteomyelitis 571f,571h; physiol. 645r;  
roent. 647p; surg. 647n; tumors 487n,616a
- JOINTS, 528g; ankylosis 635s; dis. 674n,711c; pain  
665q; roent. 525r; surg. 670k,712p
- JURISPRUDENCE, MEDICAL, 575h,575v,598w; psy-  
chiat. in 533e; wds. & inj. in 492h,575n
- KAHLER'S DISEASE, 507h
- KALA-AZAR, 502-1,585-1,610m; in India 512u;  
ther. 528f
- KELLY-PATERSON SYNDROME, 677h
- KERATITIS, 529d,672p; etiol. & pathogen. 621r;  
interstitial 690c
- KERATOCONJUNCTIVITIS, 587a
- KERATOSIS, 541q,621r,648m
- KETONES, 699p
- KIDNEYS, abnorm. 589f,591n,609u,717d,717e; artif.  
663q,689f; blood supply 490p,490t,587s,606q,654r,  
693j; calculi 716o; cancer 513n,692w; cysts 693a,  
716n,717c; dis. 505j,530-1,588c,596d,605f,626u,  
716h; echinococcosis 716g; excis. 558g,579k,700f,  
716m; extracts 514j; function tests 512b,603h;  
insuff. 502j,553k,716-1; pain 679p; pathol. 490o,  
525g; pelvis 558e; physiol. 490e,490f,537o,607p,  
607f,613w,650w,700p,700r; rupt. 524m,529m,  
558w; surg. 639o,716k,717u; tuberculosis 591g,  
663v,664q,716g; tumors 482m,498n,510e,551p,  
558f,596h,639p,695h,717d; wds. & inj. 559d,596r,  
717w
- KINETHESIS, 618d
- KNEE, ankylosis 681s; deform. 675e; dis. 507i,  
676o; snapping 551e; tumors 583n,612i; wds. &  
inj. 556h
- KORSAKOFF SYNDROME, 671a
- LABOR, 490u,498j,501i,531-1; compl. 497-1,497u,  
498d,498p,515-1,579t,594m,609m,613d,636e,656m,  
668f,674o; drugs in 508n,714r; episiotomy in 497t;  
forceps in 656c; hemorrh. 517b,526c,556k,594n;  
induction 603n; presentation 513f,523-1,556u;  
version 497i
- LABORATORIES, 616p; diag. 596m,605k; hosp.  
581b; technic 626p
- LACRIMAL ORGANS, dis. 533o,536g,603s,690e; ob-  
struc. 603t
- LACTATION, physiol. 491n
- LAGENOPHRYS, 578d
- LAMBLIASIS, 671v
- LANDRY'S SYNDROME, 685u
- LANGUAGE, 630p
- LANOSTEROL, 493n
- LARYNX, cancer 591g,624p,624w; dis. 597-1,624o,  
625h,625r,649k; paralysis 623d,623e; surg. 624f,  
624q,691g; tuberculosis 507d,557a,624o,625q,  
715k
- LAUGHTER, 691w
- LEAD, tox. 500n,660r
- LEADERSHIP, 703f
- LEARNING, 701n,701s,702a,702c,702e,702p,703n,  
703o
- LEAVES, 616o
- LEFT AND RIGHT-HANDEDNESS, 601j
- LEGG-PERTHES' DISEASE, 707t
- LEGISLATION, MEDICAL, 586g
- LEGS, dis. 506g; fract. 712m
- LEISHMANIASIS, 502-1,585-1,607d,610m; in India  
512u; ther. 695t
- LENGTH, 578m
- LENS, CRYSTALLINE, dis. 592n,621p
- LEPROSY, 571r,577v; blood in 658t; in Spain 571t;  
ther. 488k,518d,650g
- LERMOYES SYNDROME, 624i
- LEUCINE, 644c; determ. 644b
- LEUCONOSTOC, 643i
- LEUKEMIA, 518v,546q,627s,629d,629-1,640t,692h;  
exper. 564g; lymphatic 505b,572b; myelogenous  
499i,499j,499k,595f,629d; ther. 499b,499c,547e,  
563u,564f,645e,659w,674v,692g
- LEUKOCYTES, 523a,575a,692u,719c; count 502a,  
521j,533c,585d
- LEUKOPLAKIA, 656f
- LEVULOSE, 681h
- LIBRARIES, 499r,499s; med. 499r,506j,514f
- LICHEN, planus 489b,512e,571u,649a
- LIFE, duration 652i
- LIGHTING, 651m
- LIPASE, 482i,482h
- LIPOCHONDRODYSTROPHY, 610p
- LIPOIDS, 543d,688o; metab. 504a,577s,691u
- LIPS, abnorm. 625e,664j; tumors 646q
- LITERATURE, 532q,532r; med. 532s
- LITHIUM, chloride 667g,667h,667-1
- LITHOSPERMUM, 606b,607i
- LITHOTRITE, 640e
- LIVEDO, reticularis 522b
- LIVER, 676c; abnorm. 583o; abscess 615q,661u,  
671v; acute yellow atrophy 498g; cancer 564h;  
chem.608m; cirrhosis 491v,586e,604r,619g,627k,  
675p,679b,679c; cysts 609o; dis. 504a,508r,514r,  
528v,529q,538v,587q,615p,616v,627h,634q,659p,  
676e,679a; echinococcosis 711-1; extracts 485a,  
530d,595s,657n,662a; fats & lipoids 595s,641g;  
function tests 491g,518g,524w,572k,572-1,572m,  
585e,590c,593m,627r,675a,679a; pain 665q;  
physiol. 587v,613f,620p,700c; surg. 664u,664v,  
664w,665a; syphilis 528f; tuberculosis 528f; tu-  
mors 599w,642b
- LIVESTOCK, 495s
- LOCOMOTION, 532c
- LOCUSTS, 494d
- LÖFFLER SYNDROME, 662u
- LUMINESCENCE, 652w,654d
- LUNGS, abnorm. 663s; abscess 510w,512r,524n,  
557d,584n,636n,708k; anat. & histol. 692s,708a;  
blood supply 546j,546k,546m; cancer 508g,523c,  
523u,592e,661p,674u,708m,709d,710p; collapse  
547s,594f,602s,633p; cysts 547q,708e,708n; dis.  
503o,547n,547r,575g,583v,588g,596a,600g,604n,  
619-1,660o,671e,672b,683a,707-1,708r; hernia  
528m,553d; mycosis 526f,547o,591o; pathol. 525h,  
649g,663d; physiol. 546-1,664i,693g,700t,700w,  
701a,701b,708s; roent. 546m,601p; surg. 547u,  
633k,633-1,633m,633n,636e,671n,705r,708-1; syphi-  
lis 549-1; tumors 512r,533p,560c,708g,713t; vol-  
ume 490q
- LUPULON, 608o
- LUPUS, erythematosus 517e,596p,622a,648v,650i,  
660n,692n; ther. 547c,572e
- LUTEMBACHER SYNDROME, 520j
- LYE, accidents 530p,537g
- LYING, 492i



- LYMPH NODES, 571i; dis. 520s,607j,692v; tuberculosis 600k,628t
- LYMPHATIC SYSTEM, 647n,692w
- LYMPHOCYTES, 533a,593d,719c; count 508f,533c, 541m,617b,695j,695p
- LYMPHOGANULOMA VENEREUM, compl. & seq. 634a; ther. 531d,679t; virus 582-l
- LYMPHOID TISSUE, 486j
- LYSATES, 604c
- LYSOLECITHIN, 521h
- LYSOZYME, 707a
- MACULA LUTEA, 622c
- MAGIC SQUARES, 494r
- MAGNESIUM, 565u,577b
- MAJUDIN, 699-l
- MALARIA, 576i,583b,583c,583j,597s,604k,657p, 671q; blood in 516i; diag. 606a,671p; epidemiol. & statist. 583c; in Africa 715a; in France 676j; in India 637g; in Mexico 637r; plasmodium 582k, 582n,582t,679k,706o,706q; prev. & control 512p, 517s,638o,681r,698p; tertian 543t,543u,543v, 544a; ther. 512i,513u,563f,583g,603c,671q,671s, 696f,704w,706m; therapeutic 684r
- MALONONITRILE, 683i
- MALTOSE, 566k
- MANDELAMINE, 717r
- MANNITOL, 700p
- MANNOSE, 654p
- MANOMETER, 645h,647h
- MARRIAGE, 492u,672o,685g
- MASKS, 482a,619g
- MASTICATION, 487v,648h
- MASTOID, cancer 623p
- MASTOIDITIS, 623i; in inf. & child. 598w
- MATERNITY, morbidity & mortal. 497w,498a,596i, 668v; welfare 600n
- MATHEMATICS, 495s
- MATTRESSES, 553b
- MAXILLARY SINUS, dis. 602-l,624v; tuberculosis 623n
- MEASLES, compl. & seq. 659c,693u; ther. 510n
- MEAT, 640v
- MECKEL'S DIVERTICULUM, 548n,610u
- MEDIASTINUM, abnorm. 547p,597-l; cysts 633t, 635c; surg. 707w; tumors 635c,660b,709-l
- MEDICINE, 508o,514g,519c,592j,603g,614-l,647k, 674s,682i,505d; clinical 600d,671i; folklore & superstition 580o,598-l; hist. 506j,530n,530t, 585g,614m,619n; in art & literature 488u; in France 517c; in Germany 506m; in Gt. Brit. 520h,667e,705t; in Hungary 673g; in Mexico 482i; in New Zealand 629p; in Russia 518i; in Spain 528p; in U. S. 492u,523g,603e; internal 524p,676c; nomenclature 499q; preventive 514e, 679f; soc. aspects 510p,516n,522j,544r,545c, 589b,596j,598i,661k,704a,718j
- MEDULLA OBLONGATA, surg. 637a
- MELANCHOLIA, 557b
- MELANIN, 489k
- MELIODOSIS, 587b
- MELIKERSON-ROSENTHAL SYNDROME, 527r
- MEMORY, 617j,702c
- MÉNIERE'S DISEASE, 556g,623u,625d
- MENINGES, abscess 683s; hemorrh. 510p,686e, 712g; tuberculosis 530g,541n,541q,597k,600u, 611a,613b,629g,662f,693k,715n,715p,715q,715t; tumors 533p,534c
- MENINGITIS, 516a,528k,541m,589k,677e; etiol. & pathogen. 509a; exper. 587v; in inf. & child. 628j; influenza 598t; lymphocytic 571s; otogenous 664s; pneumococcic 583t; streptococcic 539s,628t; ther. 628o
- MENINGOCELE, 633r
- MENINGOCOCCI, infections 503n
- MENINGOENCEPHALITIS, 694n
- MENOPAUSE, 651e; artf. 618a; disord. 519v,669b
- MENSTRUATION, 689t; physiol. 655u; toxin 497b
- MENTAL DISEASES, 533g,533r,534n,618-l,672q, 684o; diag. 533f; involuntional 532v; ther. 508t, 533a,653q,666u,683i
- MENTAL HYGIENE, 534h,534i,534j,534k,534-l, 534m,534n,543-l,631p,663k,689r; clinics 618q, 669i
- MENTAL TESTS, 543h,543i,617p,630k,630u,631e, 631f,631i,702o,703g
- MEPACRINE, 577p
- MERCURY, tox. 507c,538v,621p,650f,664b
- MESANTOIN, 672m
- MESENTERY, cysts 509t,709k; tumors 585j,711u
- MESODERM AND MESODERMAL TISSUES, 494c
- METABOLISM, 574h,595v,653i,679-l; determ. 494v, 516q,649p; disord. 550o,600j; endocrines & metab. 574k; exercise & metab. 637g
- METACARPUS, fract. 712n
- METALS, 494b
- METAPLASIA, 596n
- METATARSUS, deform. 594-l
- METHADON, eff. 698h
- METHANE, 576q
- METHEMOGLOBINEMIA, 668k
- METHIONINE, 485k,486o,609b,644f; admin. & dos. 679c; eff. 679p; metab. 485b
- METHYL ALCOHOL, 643v; tox. 575t,652p
- METHYL BROMIDE, tox. 527n
- METHYL CHLORIDE, tox. 510k
- METHYLCYTOSINE, 486c
- METHYLOXYACANTHINE, 698f
- MICROCOCCIN, 538f
- MICROMANIPULATOR, 578j
- MICROMYCETES, 642n
- MICROSCOPY, 578i,578r; appar. 542f,626f,626o, 652b,699c; electron 576p,607f
- MICROSPORON, 650p
- MICROTOME KNIFE, 572o
- MICROWAVES, 651w
- MIGRAINE, ther. 506e
- MILITARY MEDICINE, 520e; neuropsychiat. 511s, 532v; orthopedics 549u; surg. technic 531t; wds. & inj. 511o,511t
- MILK, bact. 560s; composition 545a,696p; dried 541o; evaporated 693u; fat 493t
- MILLIVOLTMETERS, 615j
- MILROY'S DISEASE, 629j
- MIND, 701-l; body and mind 672q,705-l
- MINES AND MINERS, 575k
- MITRAL VALVE, insuff. 527d
- MOLECULES, 568g
- MONILIASIS, 624o
- MONONUCLEOSIS, INFECTIOUS, 497o,499f,499g, 623q
- MONSTERS, 656j
- MONTEFIORE HOSPITAL, 703r
- MORALE, 521q
- MORPHINE, 545t; eff. 698h; ther. 597v; tox. 497f
- MOSQUITOES, 544c,630q,654h; eradication 583d, 583e; in Arabia 638j; in Colombia 638f
- MOTION SICKNESS, 506h,641q
- MOUTH, 487t; cysts 487m; dis. 487c,569d,588r, 647t; embryol. 577i; mucosa 571o; rehabilitation 646d; roent. 569j; surg. 570p,571c,571d,647n; tumors 487p,571j; wds. & inj. 647u
- MOVEMENTS, 702i; disord. 618n,685s
- MOVING PICTURES, 514f
- MUCIN, 563-l
- MUCOUS MEMBRANE, 624m; dis. 624m
- MUSCLES, 543a,692s; contractions 493i; eff. of drugs on 697o; facial 608d; gracilis 551e; innerv. 556c; pectoral 552v; physiol. 481j,546c,608e; rectus abdominis 680c; stapedius 691t; supra-

- spiniatus 602h; tonus 702g,702h  
**MUSIC**, 666w  
**MUSTARD GAS**, tox. 700u  
**MUTISM**, surg. ther. 623e  
**MYANESIN**, 481j,517a,686p; eff. 583s,663k  
**MYASTHENIA**, 507a; gravis 517d,588o,627d  
**MYCOSIS**, 650a,677i,690e; cutaneous 561-1,572c  
**MYELITIS**, 618w,684s  
**MYELOSIS**, 546q  
**MYOCARDITIS**, 506i,659a,680d  
**MYOCARDIUM**, physiol. 699v  
**MYOCLONUS**, 618g  
**MYOPIA**, 622n  
**MYOSIN**, 493k,495h  
**MYOSITIS**, ossificans 501q  
**MYTHOLOGY**, 532q  
**MYXEDEMA**, 510f; compl. & seq. 601m; heart in 661t  
**NAILS**, dis. 512f,521-1,559g  
**NAPHTHOL** AND **NAPHTHOL COMPOUNDS**, 568m  
**NAPHTHOQUINONES**, tox. 668d  
**NARCOTHERAPY**, 683h  
**NASOPHARYNX**, cancer 675c; dis. 624-1,628p; tumors 624u  
**NATIONAL HEALTH SERVICE**, 586u,631m  
**NAVAL MEDICINE**, 532g,666v  
**NECK**, cancer 549q; pain 661i; wds. & inj. 511t  
**NECROSIS**, 555s,632r  
**NEMATODES**, 512i,640s  
**NEOSTIGMINE**, 698s; eff. 701o; methylsulfate 656g  
**NEPHRITIS**, 502e,513r,520d,536w,592c,601c; edema with 528r; glomerular 490g,519m,592b,593h,659v; ther. 663b,663c  
**NERVES**, anat. & histol. 624k; blocking 646f,663p; cranial 507t; optic 536e,537a,583m,621o,666f,687u,688b; peripheral 535h,592m,609q,683p,684g,713w,719m; plantar 709p; radial 712j; roots 555g; sciatic 617k; spinal 605u,609j; trigeminal 622j,635d,689b; vagus 554t,561s,585r,608d,636c,699u,699w  
**NERVOUS SYSTEM**, 523u,697s; abnorm. 648j; anat. & histol. 523h; dis. 502d,503a,545f,547b,658m,685c,694m; pathol. 525i; physiol. 653v; surg. 481-1,511o,522s,596k,616j,688q; tumors 503b  
**NERVOUS SYSTEM, SYMPATHETIC**, 542w,543a,688m,701e; anat. & histol. 535c; blocking 601r,662p,663p; dis. 683u; eff. of drugs on 697v,698n; physiol. 659e; surg. 519u,548t,636-1  
**NEURALGIA**, 668n; ther. 522b,609f; trigeminal 663j,687g  
**NEURASTHENIA** AND **PSYCHASTHENIA**, 515a  
**NEURITIS**, multiple 502w,509j,509k,525j,592a,603m,671a,676n,686f; optic 602e,616f,622d,690q  
**NEURODERMATITIS**, 513v  
**NEUROFIBROMATOSIS**, 536p  
**NEUROGLIA**, 617-1,621o  
**NEUROLOGY**, 601e,712s  
**NEUROMELITOCOCCIS**, 583m  
**NEURONS**, 483b,662d; dis. 687q  
**NEUROPSYCHIATRY**, 508o,589b  
**NEUROSES** AND **PSYCHONEUROSES**, 506c,534u,590n,597q,631b,653k,685j,687q; anxiety 683t; diag. 617m; etiol. & pathogen. 531-1; in animals 640-1; in soldiers & veterans 618q; postop. 588n; ther. 618e,685f  
**NEUROSPORA**, 486k,565o  
**NEUROSYPHILIS**, 618t,684r,685j; ther. 517g,649w  
**NEUTRONS**, 493f  
**NEVL**, 564a  
**NEWSPAPERS**, 540e  
**NICOTINE**, 495p,698h; eff. 665t  
**NICOTINIC ACID**, 486-1,512a,568a,606s,619s,619t,653w; determ. 485f; eff. 644m,698a  
**NILE BLUE**, 578h  
**NITRATES**, tox. 663-1,663v  
**NITROANILINE**, 645k  
**NITROGEN**, 698b; defic. 644n  
**NITROGEN MUSTARD**, 569d; eff. 532i; ther. 563u,583v,584q,603c  
**NOBECOURT'S SYNDROME**, 695v  
**NOMENCLATURE**, 499q  
**NOSE**, 658b; dis. 524j,611s; septum 537d,691k; surg. 591u; tuberculosis 691-1; tumors 623o,624e,624f,635b  
**NUCLEINS**, 486g,486i,562-1,644k,653c; determ. 485m  
**NUCLEOPROTEINS**, 486h,494i  
**NUCLEOTIDES**, 538b,564r  
**NURSES** AND **NURSING**, 481r,545-1,619e,619g,619m; educ. 500e,581b,689-1; pediatric 619f; psychiat. 534p,619e; pub. health 557g,689i  
**NUTRITION**, 576o,588i,604f,615b,620i,670a,681n; disord. 504j,530n; in Brazil 666t; in inf. & child. 693u,703w; in Mexico 599q; in Newfoundland 663m; in U. S. 592p; in Venezuela 546e; parenteral 634v,674c  
**NUTS**, vitamin content 620f  
**NYSTAGMUS**, 535w,617k  
**OBESITY**, 507o,522h; etiol. & pathogen. 505-1,676j; ther. 500m,520s,635j  
**OBSTETRICS**, 655r,656e; anesthesia in 481e; diag. in 580-1; in Ireland 513c; teaching 580-1  
**OCCIPITAL BONE**, 685b  
**OCCUPATIONAL THERAPY**, 557r,682t; for tuberculous patients 682u  
**OCEAN**, 578n  
**OSTEOCHONDRITIS**, deformans juvenilis 707t  
**OIL**, 494m,653a  
**ointments**, 541t,621m,630b,696c,699f,717s  
**OLIGOPHRENIA**, phenylpyruvic 538r  
**OLMER'S DISEASE**, 541-1  
**OMENTUM**, cysts 530p,531e  
**ONCHOCERCIASIS**, in Mexico 599p; ther. 599n  
**OPHTHALMIA**, sympathetic 506c,529g  
**OPHTHALMOLOGY**, 690r; appar. 494t,536-1,622g; hist. 536e; in Hungary 690w; progr. 621w,669w; teaching 622e  
**OPTOMETRY**, 621f  
**ORANGES**, 620f  
**ORBIT**, tumors 536a,621k  
**ORNITHODOROS**, 482o  
**ORTHOPEDICS**, 487d,525w,549u,664r,713a,713c; hist. 603d  
**OSMOSES** AND **PERMEABILITY**, 495o,566a  
**OSSIFICATION**, 561t,581s,664h  
**OSTEITIS**, 639u,717-1; deformans 605f,677k  
**OSTEOARTHRITIS**, 500u  
**OSTEOARTHROPATHY**, hypertrophy pulmonary 586-1  
**OSTEOCHONDRITIS**, deformans juvenilis 707t  
**OSTEOMYELITIS**, 529k,571f,571h,674-1,712q; etiol. & pathogen. 597g; in inf. & child. 528j; ther. 510s,548a,556n  
**OSTEOPATHY**, 616u,616v; educ. 616v  
**OSTEOSCLEROSIS**, 598d  
**OSTREODYNAMOMETER**, 578v  
**OTTIS MEDIA**, 515c; etiol. & pathogen. 622v,623u,625e; ther. 623v,624c  
**OTORHINOLARYNGOLOGY**, 624a,624g; in Gt. Brit. 624s; surg. in 537g,624d  
**OTOSCLEROSIS**, 691i; surg. ther. 609r,623j,623n,691r  
**OUTPATIENT DEPARTMENT**, 516e,532g  
**OVARY**, absence 656i; anat. & histol. 562b; cancer 588w,601f,655t; cysts 488a,613c,660u; dis. 614a; excis. 555j,675m; hormones 491s,609v,614m; physiol. 610b; transpl. 579u; tumors 498m,506o,506a,601i,605s,615c,626w,642f,680s  
**OVOMUCOID**, 486f



- OVULATION, 574i,574j  
 OVUM, 542-1,542o,561s  
 OXALACETATES, metab. 485n  
 OXIDASE AND PEROXIDASE, 643u,644v,654-1, 698h  
 OXYCEL, 709j  
 OXYGEN, 495c; consumption 563h,608c,647h; defic. 553w,611o,700o; ther. 522b  
 OYSTERS, 654m  
 PACINIAN CORPUSCLE, 659e  
 PAGET'S DISEASE, 564k,677k  
 PAIN, 558p,570d,598c,598v; etiol. & pathogen. 593a; ther. 521i,555-1,597v,600o,663-1,674o, 687k,688f,688m  
 PALATE, cleft 571e,612f,612g,713m; tumors 546l  
 PALPATION, abdominal 517b  
 PANCREAS, abnorm. 552q,712c; cancer 524o,599b, 710j; cysts 550q,552a; dis. 606h,613j,676a; excis. 636g; islands of Langerhans 607v; physiol. 566-1,587f,609b,675q,706q; prep. 541v,696m, 696n; secretion 537s; surg. 552e,553i,675q  
 PANCREATITIS, 520k,553h,573n,573o,634s,707p; compl. & seq. 634k  
 PANMYELOPHTHISIS, 498v  
 PANNICULITIS, 649q  
 PARAFFIN, 568g  
 PARALDEHYDE, 684v  
 PARALYSIS, 555-1,618w,716u; agitans 545f; cerebral 539c,557f,692a; diphtheric 598q; facial 527r,597e,686b; femoral 532m; periodic 597h; spastic 534q; spinal 549k  
 PARAMECIUM, 652k  
 PARAPSORIASIS, 488v  
 PARASITES, 572n; in animals 482m  
 PARATHYROID, dis. 501r,712h; compl. & seq. 509a; dis. 529k; immun. 707c  
 PARINAUD'S SYNDROME, 677-1  
 PARKINSONISM, 662h,685s; ther. 597f,604w,661t, 667d,687g  
 PAROTID GLAND, tumors 710e  
 PAROTITIS, 694h; compl. & seq. 502d,694m,694n.. 695e,707p; vaccine 593g; virus 581n  
 PARTHENOGENESIS, 496m,496q  
 PARTICLES, 576w; air-borne 658h  
 PATCH TESTS, 561g  
 PATELLA, dis. 713a; fract. 512g,525p,548g  
 PATHOLOGY, 609i,625u  
 PATIENTS, 618q  
 PEAS, 620q  
 PEDIATRICS, 541h,602i,669c,713c; hist. 678q; progr. 505s; teaching 538-1,538m,538n,538o, 538p  
 PELLITORINE, 567n  
 PELVIS, dis. 525q,663n; inflamm. 587d; measurement 655v; roent. 498q; surg. 613r; tumors 505q  
 PEMPHIGUS, 570r,650d; ther. 648r  
 PENICILLIN, 530w,560k,563c,567o,579a,595q,607q, 629s,629v,646b,706s,711e; admin. & dos. 481u, 552k,554d,584s,594b,604e,605b,650m,674j; determ. 563a; eff. 521u,527s,561e,562-1,612o, 648r; production 562m; ther. 592-1,680b; tox. 505g,663w  
 PENIS, abnorm. 640a; cancer 649s; dis. 649e; wds. & inj. 664d  
 PENTOTHAL SODIUM, 618k,683t  
 PEPSIN, 552o  
 PEPTIC ULCER, 491e,491j,586v,590q,593j,600s, 601o,603j,635k,636j,670g; compl. & seq. 554s, 555r,627j; etiol. & pathogen. 552o,554r,573h, 636c; exper. 491d; hemorrh. from 511d,554j, 709r,712b; perf. 531s,604p,709f; postop. 661p; progn. 595i; surg. ther. 501e,548-1,551-1,554s, 554t,574a,585r,592h,595p,599u,610r,617a,636c, 636-1,660q,670t,672u,673p,675a,675k,681c; ther. 526g,556u,572v,573c,592i,595o,670h  
 PEPTIDASE, 642b,644n,652i  
 PEPTONE, 562k  
 PERCEPTION, 703a  
 PERFUME, 542c  
 PERIARTERITIS, nodosa 507s,509j,509k,525f,525g, 525h,525i,525j,561m,584c,585u  
 PERIARTHROSITIS, 610s  
 PERICARDITIS, 526f,550-1; adhesive 483v; compl. & seq. 506u; diag. 546n  
 PERICARDIUM, for. bod. 712j; surg. 516c; wds. & inj. 586f  
 PERINEUM, cysts 640a  
 PERIODONTITIS, 569t  
 PERIODONTIUM, 570o; cysts 625q; dis. 487i,487j  
 PERITONEUM, cysts 589f; irrigation 554b; tuberculosis 550h,671u  
 PERTONITIS, 516-1,558j,634k; blood in 516u; fetal 628j; in inf. & child. 628q; ther. 513m,551m, 557m,634h,661v  
 PERSONALITY, 529p,630k,630-1,630m,630n,630r, 630s,630u,631e,702s,703h,703m; tests 630q,630u, 630v,685g,702-1,702n,703c,703k  
 PETROLEUM, liquid 601p  
 PETROLEUM PRODUCTS, 577o  
 PHAGOCYTES AND PHAGOCYTOSIS, 692m  
 PHAGOMANIA, 618v  
 PHARMACOLOGY, progr. 689f  
 PHARMACOEPIA, British 699b  
 PHARMACY, hist. 630h; in Czechoslovakia 629s; in India 696d  
 PHARYNX, dis. 649k; inflamm. 587o; strict. 600b  
 PHENOLS, 489i,566d; determ. 593q  
 PHENYL COMPOUNDS, 568s,568t  
 PHENYLALANINE, 484d  
 PHILOSOPHY, 576b  
 PHLEBITIS, compl. & seq. 513t; etiol. & pathogen. 678e; femoriliac 548k; ther. 551a  
 PHLEBOTOMUS, 638p  
 PHLEGMASIA ALBA DOLENS, 523w  
 PHORIAS, 537j,679u  
 PHOSPHATASE, 486a,492b,495h,578f,606o,635a,647d, 647f  
 PHOSPHORUS, radioactive 698g  
 PHOSPHORUS AND PHOSPHORUS COMPOUNDS, 484d,486d,565g,628a,643e,643f,643p,654d,698c, 698s; burns 511r; determ. 696g; eff. 581j; metab. 409i,540s,688n  
 PHOTOGRAPHY, appar. 588r  
 PHOTOMETRY, 622o  
 PHTHALOCYANINE, 494n  
 PHYSICAL EDUCATION AND TRAINING, 545v,546c, 575q,587e,704-1,704m,704n,704o; in Sweden 704k  
 PHYSICAL EFFICIENCY, 641p  
 PHYSICAL EXAMINATION, 546b  
 PHYSICAL MEDICINE, 556a,557g; appar. 637j; in old age 637h  
 PHYSICAL THERAPY, 637n  
 PHYSICIANS, 615d,668f,668g; relation to other physicians 679s; relation to patient 526c,532f,679s; relation to public 604i  
 PHYSICS, 543h,653m  
 PHYSIOGNOMY, 570e  
 PHYSOSTIGMINE, 698s  
 PIGMENTATION, 583a,607m,655g; cutaneous 608h  
 PILOCARPINE, eff. 537q  
 PILONIDAL SINUS, 635t,663r,682j  
 PINEAL GLAND, tumors 632p  
 PIPERONYL BUTOXIDE, 638g  
 PITOCIN, 603n,714r  
 PITRESSIN, 669q  
 PITUITARY BODY, dis. 489g,632o; excis. 492b, 647c; physiol. 577s,605a; tumors 526p,589e,624f, 627f,632o,632q,650w,691j

- PITUITARY PREPARATIONS, 485u,491p,492r,492s, 607g,607i; eff. 484s,491r,491t,491u,581m,700q; ther. 537f
- PITYRIASIS, rosea 649j,650e
- PLACENTA, adherent 636a,669s; expulsion 497k; praevia 512t,552e,664o; premature separation 498e; retained 550c,580h; tumors 677m
- PLAGUE, ther. 610m
- PLANTS, growth 697h
- PLASMOCYTOMA, 501t
- PLASTICS, 524i,681u,696j
- PLEURIS, 708u; dis. 575g,633i; tuberculosis 530u, 557f
- PLEURISY, 510v; adhesive 708a; etiol. & pathogen. 609d; in animals 559w; pain in 502c; ther. 491a, 518h
- PLEUROSCOPE, 676q
- PNEUMOCEPHALUS, 616g
- PNEUMOCOCCI, 582i,582j; infect. 581h
- PNEUMOCOCCIOSIS, 544v,575j,582c,669n; diag. 575-l; etiol. & pathogen. 658f; in France 575m; prev. 575k
- PNEUMONIA, 503f,507b,617c,640o,659c; epidemiol. & statist. 532e,545p; etiol. & pathogen. 502t; exper. 514-l,514m; immun. 504o; in animals 640h; in inf. & child. 523-l,539g,619j,619k,694c; interstitial 708v; pathol. 633p; ther. 502s,513e, 540m,557c,601h,659-l,671d,674j,708q; traum. 511f
- PNEUMOPERITONEUM, 574c,585p,674p
- PNEUMOTHORAX, 502b,611m,708t; etiol. & pathogen. 518e; roent. 708i; ther. 506f,547p,680e
- PNEUMOTHORAX, ARTIFICIAL, 672e,672-l; compl. & seq. 604b
- POISONS AND POISONING, 510g,526i,660b,666u; ther. 664b
- POLIOMYELITIS, 529v,665g,691h,695k; bulbar 539f,539u,618h,656k,663h,686a; compl. & seq. 504p,713b; epidemiol. & statist. 504j,504-l,530j, 543q,594a,628m,661a,705o; exper. 686c; in Gt. Brit. 606j; in inf. & child. 602t; pathol. 627d, 687q; ther. 504k,552d,561j,585v,656q; virus 495f,539t,543i,606m,705v
- POLLEN, 495w,591h
- POLLS, 653h
- POLONIUM, 651v
- POLYCYTHEMIA, 490h,506o; ther. 614q
- POLYETHYLENE, 553u
- POLYMERS, 651o,651p
- POLYMYXIN, 696d
- POLYTHENE, 713u
- POPULATION, 578o
- PORK, 720-l; vitamin content 608q,620c,620-l
- PORPHYRIN AND PORPHYRIN COMPOUNDS, 528v; metab. 509m,651k
- PORTAL VEIN, blood pressure in 553d,675r
- POSTURE, 496i,616s; defects 616s
- POTASSIUM, 490o,565u; determ. 512c; eff. 642v; hydrochloride 645h; metab. 529b; tox. 502j
- POTATOES, 564s
- POTT'S DISEASE, 595e
- POULTRY, 621b; dis. 514k,560n
- PREJUDICE, 703f
- PREGNANCY, 509b,586q,667r; blood in 655s; blood pressure in 521k; cancer and pregn. 497s; compl. 497e,497o,497p,505a,505o,511j,555j,559f, 587m,599s,618j,656a,656q,657c,669a,680n,680v, 691i; diag. 482n,508u,531f,544m,656f,662e; duration 656s; ectopic 497r,580e,586r, 596g,612h, 660u,672o,709e; eff. of drugs on 656g; heart in 564n,564o; hyg. 539n,657h; kidneys in 603h; liver in 498g,574o; metab. in 595-l; physiol. 561s, 716p; toxemia 504d,600p,655o,656u,666e; tumors complicating 498d; vomiting in 498f,579v,656h; weight in 522h
- PRISONS AND PRISONERS, 492f,532e
- PROCAINE AND PROCAINE COMPOUNDS, eff. 597f,647o,663w
- PROGUANIL, 587c
- PROLINE, 643t
- PROPANOL, 567p
- PROPYL FLUOROPHOSPHATE, 686i
- PROSTATE, 718d; cancer 508i,513h,523p,529n, 550g,558m,594s,596p,623p,678j,716v,717a; dis. 588-l,718b; hypertrophy 518u,585g,672k; physiol. 491m; surg. 558-l,663f,712c,713p,716s; tumors 718c
- PROSTATECTOMY, 515j,717i; compl. & seq. 639v; perineal 716v; retropubic 601w,602a,639s,639t, 639u,671c,678d; suprapubic 718b; technic 606b
- PROSTHESES, 623k,712w
- PROTAMINE, 642r
- PROTEINS, 484i,486m,501t,512a,519e,530k,573f, 590u,607d,633v,643h,652v; defic. 528d; in diet 520q,644a,674c; iodized 602g; metab. 543e
- PROTHROMBIN, 512c,572i,626d,663p,693f
- PROTOPLASM, 651q
- PRURITIS, 660t; ther. 648n; vulvar 501e
- PSEUDOARTHROSIS, 681s
- PSITTICOSSIS, virus 582-l
- PSORIASIS, 649b,649k,649v; ther. 513v
- PSYCHIATRY, 502v,519w,530v,533d,533f,533g,663k, 667j,682n; in Arctic Region 701k; in Germany 683j; in Russia 534w; industrial 544p
- PSYCHOANALYSIS, 515q,526g,530v,532q,532r,532s, 619a,685p
- PSYCHOLOGY, 518u,533f,533g,630k,630o,631g,685h, 685j,703e; abnormal 702q; exper. 701-l; in Germany 543n; individual 543n; med. & psychol. 513c,621b,630k,630-l,630n,630o; teaching 481s; train. 701h
- PSYCHOSOMATIC MEDICINE, 526p,527c,613u,619o, 688a,689h,689k,689n,689p; gastroenterologic aspects 680i
- PSYCHOTHERAPY, 506-l,594d,617o,630-l,631a, 685k,685m,685p,704o
- PTERINS, 505j
- PUBERTY, 505-l,673f; precocious 497q,528i,575b
- PUBIC BONE, inflamm. 639u
- PUBLIC HEALTH, 545f,586h,618s,659c,679f,704h; admin. & org. 557g,631w; centers 580r; educ. 514e; hist. 589w; in Calif. 499s; in Canada 509c, 509d,704a; in Gt. Brit. 582b,689j; in Guatemala 705a; in old age 705n; in Portugal 515s; U. S. Public Health Service 545m
- PUERPERAL INFECTION, 723n
- PUERPERIUM, 535r
- PULMONARY VALVE, strict. 659j,659k
- PUPILS, dilatation & contraction 507c,684a,690q
- PURINE AND PURINE BASES, 486k
- PURPURA, 595h; diag. 678s; haemorrhagica 538k, 540i,549o,601a,616e,694c
- PUS, 608r
- PYELITIS, in inf. & child. 556f
- PYLORUS, hypertrophy & stenosis 539q,554w,556r; obstruct. 634r
- PYOPNEUMOTHORAX, 512r
- PYRAZINE, 566g
- PYRIDINE AND PYRIDINE COMPOUNDS, 567h, 567i,567v,568-l; eff. 696u,698a
- PYRIDOXINE, 620n
- PYRIMIDINES, 486q
- Q FEVER, 544b,544d
- QUACKERY, 575i
- QUEYRAT'S ERYTHROPLASIA, 649e
- QUINACRINE, 649g
- QUINOLINE AND QUINOLINE DERIVATIVES, 543u,607v
- QUINONES, eff. 650a
- QUINTUPLETS, 496s

- RABIES, 560q, 611f, 640p  
 RADIATIONS, 493q, 577-1, 577n, 552j, 690m; eff. 493h, 547g, 633b; inj. eff. 510e, 513q, 623r  
 RADIOACTIVITY, 484r, 485k, 485o, 485s, 485t, 489m, 495j, 559q, 577o, 578-1, 578u, 643q, 643o, 643u, 644k, 645e, 645i, 653a, 654e, 654p, 665f, 666c, 667b, 682i, 686f, 686v  
 RADIOTHERAPY, 547i, 673u, 682a  
 RADIUM, hist. 664m  
 RADIUS, fract. 592v  
 RADON, 556a  
 RAPE, 532s  
 RAT-BITE FEVER, 628m  
 RATS, extermination 697h  
 REACTION TIME, 702q, 702i  
 RECKLINGHAUSEN'S DISEASE, 536p  
 RECRUITS, 683d  
 RECTUM, cancer 521r, 525-1, 541j, 552r, 553o, 555t, 563w, 615a, 616i, 667n, 713j, 714o, 714t; dis. 531k, 661m, 668s; for. bod. 682e; hemorrh. 709o; roent. 552p; strick. 634a; surg. 550e, 551d, 678b, 709j; tumors 574d, 636m; wds. & inj. 682k  
 REFLEX, 534v; aural 700a; cardiac 687d; psychogalvanic 703c  
 REFLEXOTHERAPY, 510s  
 REFRIGERATION, 654a, 699e  
 REFUGEES, 689i  
 REHABILITATION, 556a, 594-1, 599-1, 606k, 682i, 682u, 682v, 682w, 688a  
 REITER'S DISEASE, 518m, 615u  
 RELAPSING FEVER, 659p, 707d; in Cyprus 638n  
 RELIGION, 502v, 631p  
 REPRODUCTION, 562a; in animals 559s, 640v, 651j; physiol. 491q, 558e  
 RESEARCH, 576k, 654o, 692a; med. 514g, 516f, 531w, 576j, 589r, 653o, 673i  
 RESINS, 646j, 652d  
 RESORCINOL AND RESORCINOL DERIVATIVES, 567f  
 RESPIRATION, 481h, 517b, 609a; artif. 490p, 522b, 553j; disord. 528p, 570s, 671j; physiol. 611g  
 RESPIRATORS, 672i  
 RESPIRATORY TRACT, abnorm. 668s; dis. 531i, 560f, 585t, 598f, 598j, 615r, 658q, 672s; inflamm. 600f; physiol. 624j, 680q; wds. & inj. 581s  
 RETICULOENDOTHELIAL SYSTEM, 560t; dis. 670w  
 RETINA, blood supply 600v; detached 517k, 537e; dis. 537c, 622b, 690t; hemorrh. 536n, 584h, 656h; physiol. 536h; pigments & pigmentation 536j; tumors 536p, 537a, 690b, 690p  
 RETINITIS, proliferating 536n  
 RETINOCHORODITIS, 517m  
 Rh FACTOR, 497h, 522s, 576f, 581-1, 593p, 596w, 600q, 626j, 629i, 661j, 672w, 680-1, 696e, 704h  
 RHEUMATIC FEVER, 507-1, 507n, 584a, 667i, 694g; blood in 663a; cardiac compl. 707m; diag. 598c, 646m; in inf. & child. 599f, 694g; pathol. 627c; prev. 617f; ther. 507k, 673d  
 RHEUMATISM, 510u, 613a, 665n, 695v, 718b; compl. & seq. 508h; ther. 557b, 605k  
 RHINITIS, immun. 672s  
 RHINOSCLEROMA, ther. 624o  
 RIBOFLAVIN, 619v; defic. 677h; eff. 619r, 619s  
 RIBS, 716k; abnorm. 627-1; fract. 505a, 588t  
 RICE, 588e, 621n  
 RICINUS, 482u  
 RICKETS, diag. 540p; ther. 540p, 540r, 541f  
 RICKETTSIAL DISEASES, 544b, 544o, 682i, 719g; diag. 674q; eff. of drugs on 704v; in Gt. Brit. 516v; ther. 531r  
 RINGWORM, 512f, 512q, 650p; etiol. & pathogen. 648k; ther. 595q, 648o  
 ROCKY MOUNTAIN SPOTTED FEVER, ther. 680u  
 RODENTS, extermination 653t  
 ROENTGEN RAYS, 632u, 651r; appar. 544w, 546w, 633b, 654v; eff. 495d, 546u, 581m, 681e, 714h; fluoroscopy 602c, 708w; inj. eff. 714p; protection against 633c; technic 493g, 495b, 500r, 546t  
 ROENTGENOGRAMS, 633d  
 ROENTGENOLOGY, 632w; in dent. 571m  
 ROENTGENOTHERAPY, 648v, 663-1, 669q, 707s  
 RORSCHACH TEST, 617p  
 ROUS CHICKEN SARCOMA, 565d  
 RUBELLA, 601-1, 681r, 695-1; compl. & seq. 670-1  
 RUMEN, 718q; physiol. 640q  
 RURAL CONDITIONS, 668t  
 RUTIN, 584h  
 SACCHARIDES, 526a  
 SACROILIAC JOINT, disloc. 616h; wds. & inj. 657d  
 SACRUM, tumors 634i  
 SAFETY PINS, 664b  
 SALIVA, 647i  
 SALIVARY GLANDS, 578f; calculi 571e; surg. 607s; tumors 596q  
 SALMONELLA, 654b, 692f; infect. 598u; pullorum 560g, 560h  
 SANATORIUMS, TUBERCULOSIS, 682w  
 SANDFLY FEVER, 672d  
 SARCOIDOSIS, 623o, 681k, 673j; etiol. & pathogen. 677u  
 SARCOMA, cystosarcoma 675-1; fibrosarcoma 560c; liposarcoma 627m; lymphosarcoma 536w, 558f, 584q, 640n, melanosarcoma 574d; metastases 531s; myosarcoma 634t; neurofibrosarcoma 673m; 180, 564b, 607j, 642e; reticulosarcoma 681f, 681j  
 SCABIES, 524a, ther. 512h, 585f, 650n  
 SCARLET FEVER, epidemiol. & statist. 527v  
 SCHAUMANN'S DISEASE, 677u  
 SCHISTOSOMA, 638c, 638k  
 SCHISTOSOMIASIS, exper. 638e; ther. 531a, 638k  
 SCHOOLS, health educ. 544p; med. serv. 544v, 546a, 557u, 694t  
 SCIARA, 654t  
 SCIATICA, 500s, 585b, 695v  
 SCIENCE, 576b, 576j, 576-1, 578s, 652v, 653m, 653s, 666v; in Germany 495q; in Japan 578p  
 SCISSORS, 497t  
 SCLERODERMA, 510m, 555p, 648j; in inf. 539k; roent. 618f  
 SCLEROSIS, amyotrophic lateral 587c, 686f; multiple 533m, 545f, 625w, 684i, 686h, 687q, 688n, 688o; tuberous 602p, 628-1  
 SCROTUM, 559u; calculi 512j; dis. 608w  
 SEA WATER, ther. 512h  
 SEBACEOUS GLANDS, cancer 609s, 634g; cysts 634g  
 SEBORRHEA, 488w  
 SECRETIN, 511a, 574b  
 SEDATIVES, 595-1  
 SELF-MUTILATION, 588q  
 SEMEN, 491q, 558s, 560n, 720b  
 SEMINAL VESICLES, 574-1; dis. 718d, physiol. 574m  
 SEMPERVIRNE, 567r, 567s  
 SENNA, 630f  
 SENSATION, disord. 534d, 684u  
 SEPTICEMIA, in inf. & child. 695d  
 SEROTHERAPY AND HEMOTHERAPY, 491i, 590o  
 SERUM, 497g, 564v, 625v, 659i, 719b; antireticular cytotoxic 590v, 642d; immune 561d  
 SEWAGE, 546g, 632e  
 SEX, 703j, determ. 497k, 505p, 563k; educ. 512w, 518a, 543-1, 718j; frigidity 677v, 685o; perversion 647i, 684-1  
 SHEEP, 493d; dis. 560r, 720c; feeds & feeding 719s 719u, 719v  
 SHELLFISH, 578v; tox 484g, 484h  
 SHIGELLA, 667v

- SHOCK, 528d,543a,675n. etiol. & pathogen. 549f; prev. 557h; surg 580b; ther. 523k,603w,664u, 666u
- SHOULDER, dis. 610s, disloc. 548h,710-l; pain 481k,519j,661i,665i,712r; surg 500o
- SIGMOID, cancer 553o; diverticula 549e; fistula 549e; surg. 551d; tumors 574d,636m
- SILICON COMPOUNDS, 658e
- SILOXANES, 566j
- SILVER, tox. 588v
- SINUSES, NASAL, dis 560j,589i,616f,624k,624m, 624t,672n,691k; roent. 707q
- SJÖGREN'S DISEASE, 587a
- SKIN, 488v,537p,565m; abnorm. 611n; atrophy 489a; cancer 588p,649s; colloid degeneration 488-l. dis. 488i,488s,488u,503d,503j,503t,512q, 518p,528g,556h,590b,648p,649b,649h,649i,650b, 650h,673c,719j; gangrene 634d; permeability 556a; physiol. 650o; reactions 488n,584a,702b, 702j; transpl. 552u,636r,637a; tuberculosis 489f; tumors 526k,649c,677j; wds. & inj. 489c,489d
- SLEEP, 617n,684b; disord. 528h,618n,685k
- SMALLPOX, epidemiol. & statist. 681v; vaccination 538i,591p
- SMOG, 500-l
- SNAKES, 578q
- SOAPS, 542c,714h
- SOCIAL HYGIENE, 559k,559-l
- SOCIAL SECURITY, 527c; in Bolivia 494-l
- SOCIAL SERVICE, 534o,545j,653p,657w
- SOCIOLOGY, 532q,703b
- SODIUM, 594s; bicarbonate 567g, chloride 542k, 627g,669f; determ. 589g,651f; periodate 514q
- SOIL, 720v
- SOUNDS, 544t,547d
- SOWS' MILK, 720f
- SOYBEANS, 484k,719p
- SPACE, perception 702f,703i
- SPASM, 523n,656w,688k; ther. 683u
- SPECTROMETERS, 654w
- SPECTROPHOTOMETRY, 520m
- SPECTROSCOPY, appar. 576v
- SPECULUM, 625h
- SPEECH, 533-l,576f,587o; defects 630p,670-l,691g; teaching 692a
- SPERMATIC CORD, torsion 590m
- SPERMATOZOA, 606u,717q,720d; develop. 501h
- SPHENOID SINUS, dis. 601n
- SPINA BIFIDA, 505c,627-l
- SPINAL CORD, anat. & histol. 578c; cysts 693h; physiol. 687f; surg. 636w; tumors 511h,515d,549k, 553q; wds. & inj. 549c,684c,688k,712t
- SPINAL PUNCTURE, 504w,688h
- SPINE, abnorm. 555g,648j,712s; arthritis 588r,651d, 680h; cancer 523p; curvature 541n,586k,643a,667i, 674c,712v; deform. 627-l; dis. 587c; disloc. 560c; exostosis 503m; fract. 712t,712u; intervertebral disks 504w,546r,552v,555h,658g,686g; surg. 532b, 552v; ther. 549r; tuberculosis 525s,595e
- SPIROCHAETA, 563b,707c
- SPIROCHETOSIS, 581i,610s,706g,706j
- SPLEEN, 486g; abnorm. 635u; dis. 628e; displaced & wandering 710h; rupt. 505j,524m,682c; tumors 627n,692r
- SPLENECTOMY, 601a; indications 553j,617e; re-sults 549o,657n,657o
- SPLENOMEGALY, 604j,659p,679d,681d
- SPONGES, 576q,626n
- SPRAY-DRYING, 699d
- SPRUE, 660c; etiol. & pathogen. 660j; in India 519-l
- SPUTUM, exam. 713e
- STAINS AND STAINING, 495v; methods 496h,496c, 496d,496e,496g,529f,572j,572q,578h,626j,626k,627a, 641d,652-l,693b
- STAPHYLOCOCCI, 542k; carriers 505g; culture 542-l; infect. 540m
- STARCH, 485p,485g,552i
- STARVATION, 488n
- STATISTICS, 492u,493a,702q
- STERCULIA, 494a
- STERILITY, 597o,714n; etiol. & pathogen. 599e; in animals, 611j; ther. 592-l,637d,656m
- STERILIZATION, 579e; surg. 616k,646m,699b,714h
- STERNUM, puncture 545a; surg. 710e
- STEROIDS, 484u,493s,567b,654w
- STEROLS, 577h
- STETHOSCOPE, 606c
- STEVENS-JOHNSON DISEASE, 615u,615v
- STIFFNESS, 608g
- STIMULATION AND STIMULI, 702b
- STOMACH, abnorm. 609p; acidity 573g,573j,573q; cancer 490i,509h,541i,553m,573e,584d,598g,603k, 609p,612b,612u,634-l,665i,665k,669r,707j,710d; cardiospasm 506f,714b; dis. 564k,573e,603i; di-verticula 573m; exam. 528q,573d,573s,574c,602b, 681o; for. bod. 681w; inflamm. 574e; motility 714e; mucosa 573a,573w,588s,634r; obstruct. 632n; physiol. 643n,680i,697o; roent. 546p; secretion 504j,512p,573i,595u,654t; surg. 515b,521d, 553d,593j,606s,665b,665c; tuberculosis 555r; tu-mors 483g,491k,501s,573d,588g,603k,603-l,609t, 610o,634t,673-l,673m
- STOMATITIS, gangrenous 569n,586n; parasitic 488m
- STRABISMUS, 536q,602d,536n; ther. 591v,602d,622h, 690h
- STREPTOCOCCI, 490v,562w; infect. 582p,582q,582r
- STREPTOMYCIN, 568o,615e,641t,644c,708s,711e, 715m; admin. & dos. 605b; eff. 589j,593f,606r, 609n,690e,706t,706u,715o,715r; ther. 592p,624h, 661v,677r,678m,716c; tox. 623i
- STRONGYLOIDOSIS, 714w
- STRYCHNINE, tox. 526t
- STURGE-WEBER SYNDROME, 622j
- STYRACITOL, 566o
- SUBLIMATION, 618j
- SUBMANDIBULAR GLANDS, calculi 530c
- SUBMARINES, 500h,682b
- SUCCINATE, 485s
- SUCCINIC DEHYDROGENASE, 578t
- SUCROSE, 485p,578t; determ. 484-l
- SUFFOCATION, 550k
- SUGARS, 484m
- SULFATES, ther. 714q
- SULFETRONE, 676m
- SULFHYDRYL COMPOUNDS, 485i
- SULFONAMIDES, 527q,558q,565w,567a,610c,704f, 718u; determ. 718v; eff. 484j,551u,584s,659v; ther. 531h; tox. 517f,539i,556o,648w,680w
- SULFONES, 485b,567n
- SULFOXIDES, 485b
- SULFUR, 566i,600j; determ. 697b; dioxide 620i; metab. 485k,565o
- SURFACE CAINE, 559c
- SURFACE FILMS, 494w
- SURGERY, 481w,524i,602o,616t,665m,714f; heart in 613q; in inf. & child. 551n; in U. S. 600i; mortal. 612e; operating rooms 550t; plastic 529q,556m, 590b,602u,623k,624d,634f,635g,673w,691k; postop. care 481n,509u,521v,588i,645u,673u,674t,714r; postop. compl. 711b; progr. 713t; teaching 714n
- SUTURES, 536k,553m
- SWEAT GLANDS, dis. 503w,684a,709i, tumors 489b, 571i
- SYMPATHETOMY, 510c,551r,584k,584-l,614o,674g
- SYNCOPE, 643b,684w
- SYNOVIAL FLUID, 490g
- SYNOVIAL MEMBRANE, surg. 676o; tumors 531s, 710r

- SYNTROPAN, eff. 573q  
 SYPHILIS, 502h, 571w, 604j, 673r; cerebrospinal fluid in 618b; compl. & seq. 506o; congen. 540n; diag. 692-l; epidemiol. & statist. 509-l; hist. 572f; in Czechoslovakia 509-l; pathol. 527w; pregn. & syphilis 497f, 583u, 655r; prev. & control 500a, 517u, 517v, 559n, 649-l; serodiag. 522r, 626a; ther. 523s, 603o, 648-l, 684r, 718h; transm. 490a
- SYRINGE, 496k  
 SYRUPS, 696h  
 TABES DORSALIS, 688b  
 TALC, 552j  
 TANTALUM, 713u  
 TAPEWORM INFECTION, 704t  
 TASTE, 493w  
 TEAT, surg. 640s  
 TEETH, 569o, 648g; abnorm. 496t, 645p; abscess 647q; amalgam fillings 569k; anat. & histol. 525n, 569h; calcification 646w, 647e; caries 570u, 571-l, 591b, 607s, 627v, 647g, 648c, 648d, 648e, 679i; crowns & bridgework 569j, 571o, 616b, 645w, 646r, 647a; develop. 488a, 556s, 693v; diet in relation to 486v; dis. 486t, 488e, 569s, 569u, 646m; enamel 645t; extraction 486f, 504c, 518q, 569s; fillings 570g, 646a; hyg. 486w, 569r, 570d, 648c; impacted 646p; impression 569p, 646h, 646e; malocclusion 487g, 570f, 606i; occlusion 486u, 487s, 645q, 646i; pathol. 647b, 647c; prosthesis 487-l, 570j; pulp 487h, 515r, 647d; roent. 646-l; tumors 569m; vitamins 487s
- TEMPERATURE, eff. 542m, 574h, 607c, 651p  
 TEMPERATURE, BODY, 548e; in India 585d  
 TEMPORAL BONE, dis. 687e; surg. 712k; tuberculosis 623g  
 TENDONS, surg. 549g  
 TERPHENYLS, 568s, 568t, 568u, 568v  
 TESTES, anat. & histol. 599o; physiol. 574-l; tumors 520t, 627e, 636m; undescended 662q, 673k, 682r, 717k
- TETANUS, 517h, 592t, 720w; compl. & seq. 516j; immun. 695f; postop. 604m; ther. 502f; toxin 520u, 538a, 607h, 612t
- TETANY, 509-l  
 TETRAETHYL AMMONIUM, 597u, 606p  
 TETRAHYMENA, 565p  
 TETRALOXY OF FALLOT, 612v  
 THALAMUS, 687n; dis. 534d  
 THALLIUM, tox. 489e  
 THEOPHYLLINE, 648n, 697e  
 THEPHORIN, 674i  
 THERAPEUTICS, 637-l, 662d; progr. 596f  
 THERMOTHERAPY, appar. 690f  
 THIAMINE HYDROCHLORIDE, 719b, 482i, 564c, 620p, 620r, 643k, 689u, 704-l; eff. 620k  
 THIAZOLES, eff. 643k  
 THIOCYANATES, eff. 650c; metab. 484o  
 THIOL COMPOUNDS, 568f  
 THIOMERIN, 660h  
 THIOPHENE, 566a, 566w, 567i, 569a  
 THIOURACIL, 490s  
 THIOUREA, 484o, 495d, 567-l, 574t, 602o, 656q  
 THIRST, 506c  
 THORAX, 705k, 708c; anat. & histol. 708d; dis. 547-l, 704q; for. bod. 709e; pain 602s, 660m, 669q; surg. 552-l, 633o, 633s, 708b, 708m, 711v, 714a; tumors 549k; wds. & inj. 511n, 550f, 595m
- THORIUM, dioxide 549t  
 THREONINE, 620t  
 THROAT, tuberculosis 691-l; tumors 624e  
 THROMBIN, 670p  
 THROMBOANGITIS, obliterans 548f, 548u, 588u, 659u  
 THROMBOPHLEBITIS, 509s, 579t, 590o, 713k; exper. 710v; roent. 632s; ther. 529r  
 THROMBOPLASTIN, 626g
- THROMBOSIS, 503s, 549r, 555n, 599i; carotid 664p; coronary 585a, 615s, 660m; femoral 602r; postop. 519p, 553v; pulmonary 601t, 709b; sinus 615v; splenic 681d; ther. 636h
- THYMIDINE, 645m  
 THYMUS, 486g, 486j; dis. 607j; hypertrophy 627d; tumors 522o
- THYROGLOSSAL TRACT, rupt. 636c  
 THYROID, 495d, 603n; cancer 527g, 551-l, 614c, 616i, 669a, 674f; dis. 530i, 554g, 601m, 613j, 661j, 663o, 676f; eff. of removal 700f; embryol. 492-l; for. bod. 552n; hyperthyroidism 502r, 505f, 509o, 530g, 539h, 548e, 553p, 574u, 574v, 579u, 583q, 613g, 651a, 666s; irradiation 624-l; physiol. 491r, 492-l, 492m, 492n, 530c, 607u; prep. 492m, 492q, 697m; surg. 550k, 709j, 710n; tumors 521a, 526o, 642-l, 710f
- THYROXIN, 492r; eff. 608c; metab. 492q
- TIBIA, deform. 525o
- TICK FEVERS, 681p
- TIME SENSE, 685d, 701r
- TISSUE, 495j, 555v, 577o; chem. 485c, 643g, 644s; culture 495f, 511w, 574h, 607f, 710a; reaction 641d; sections 578h, 593s, 644e, 650k, 652c, 692c
- TOBACCO, 563e, 698k
- TOCOPHEROLS, 608p, 719t
- TONGUE, absence 645g; cancer 647r; tuberculosis 570a
- TONSILLECTOMY, 695k; anesthesia in 691o; compl. & seq. 623f; hemorrh. in 529h, 623-l; in U. S. 624h
- TONSILLITIS, diag. 598n, 625j
- TORULA, 485r, 501p
- TOXIN AND ANTITOXIN, 538e
- TOYS, 557f
- TRACERS, 720v
- TRACHEA, 681t; cancer 624p
- TRACHEOTOMY, 521e, 623s, 691h; compl. 539a
- TRACHOMA, ther. 557p
- TRAGACANTH, 697p
- TRANSFER OF TRAINING, 702d
- TRANSPLANTATION, 634f
- TRAUMA, 575w, 586b, 615n, 618p, 711r
- TRICHINA, 543s
- TRICHINOSIS, 523i, 544q
- TRICHOMONAS, 668t
- TRICHOMONIASIS, in animals 718r
- TRICHOPHYTON, 489j
- TRICHOPHYTOSIS, 489d
- TRIMETHADIONE, tox. 513r
- TRIMETON, 601d
- TRITERPENES, 577w
- TROCHOTRON, 653e
- TROPICAL MEDICINE, in Belgium 585n; progr. 853s
- TRYPANOSOMA, 637u
- TRYPANOSOMIASIS, in Africa 493e; ther. 638s
- TRYPARSAMIDE, 699k
- TRYPsin, 486f; determ. 485j
- TRYPTOPHAN, 486-l, 643v, 653w; determ. 486a; metab. 485f
- TSUTSUGAMUSHI DISEASE, pathol. 697q
- TUBERCLE BACILLI, 606v; chem. 486h, 486i; culture 572r, 626i, 626j, 626m, 639k
- TUBERCULIN, 704q; eff. 649n
- TUBERCULOSIS, 503h, 524-l, 557u, 586j, 599-l, 618m, 619n, 625m, 672v, 683n, 715e, 715f, 718c; Calmette-Guérin immunization 501n, 526j, 538i, 590-l, 591m, 602j, 670f, 670h; compl. & seq. 715v; congen. 531m, 586-l; diag. 544o, 704h, 715i; econ. & soc. aspects 611q, 682u; epidemiol. & statist. 676p; exper. 577-l, 639g; immun. 611v; in animals 559r; in England & Wales 716c; in Ga. 706a, 706b; in Germany 516r; in inf. & child. 501-l,



- 501m, 501n, 539o, 663t, 678a, 694v, 695s, 708v; in Korea 558b; in Montreal 530c; in Morocco 517q; in Paraguay 547m; in Philippine Islands 670i, 705q; in Queensland 640g; indust. & traum. 581w; military 504s, 600v, 600h, 661v, 715p; mortal. 611h; osteoarthritic 678o; prev. & control. 527g, 575r, 603b, 619g, 668t, 715d, 715f; roent. 525r; sanatoria 575s; surg. in 636u; temperature in 678g; ther. 515g, 572e, 586o, 610h, 612p, 615e, 629f, 629g, 639j, 639-l, 667e, 671m, 676m, 677g, 682-l, 705-l, 715g, 715j, 715m, 715o, 715s, 715t, 716a; tuberculin reactions 607r, 639h
- TUBERCULOSIS, PULMONARY**, 506b, 564c, 614a, 666g, 671h, 672b, 677r, 707n, 708u; cavitation in 604b, 678m, 708f; compl. & seq. 489f, 557a, 591j, 707n; etiol. & pathogen. 526t; in inf. & child. 517r; roent. 528a, 545h, 632v, 707g, 707h; surg. ther. 633j, 636s, 639b; ther. 504m, 515n, 585p, 602s, 605p, 616j, 633g, 633h, 633k, 639f, 663n, 671-l, 709a, 715h, 715u
- TUBOCURARINE**, 608t, 683u
- TULAREMIA**, 671s, 671t, 681a
- TUMORS**, 485n, 514p, 624g, 632t, 654r; adamantinoma 487p; adenolymphoma 596g; adenoma 489b, 509q, 526g, 603v, 613-l, 691j, 707n, 712h, 718c; angioendothelioma 656i; angioma 507g, 526k, 535n, 537s, 538k, 599w, 622j, 626w, 627n, 649f, 683g; angioneuroma 553b; angioneuroma 612g; astrocytoma 676s; cells 594f; chloroma 629k; cholesteatoma 616a; chondroma 512g; chordoma 624u; cystadenoma 498d; dermoid 635c; diag. 708g, 713t; embryoma 695h; endothelioma 688r; ependymoma 676t; etiol. & pathogen. 482t, 483c; Ewing's 554a, 628v; exper. 483i, 626r, 642j; fibroma 487n, 523e, 548r; fibromyoma 585j, 658a; giant cell 569p, 634i, 647s; glioma 676s, 676u, 676v, 688m, 686t, 690b, 690p; hypernephroma 551p, 710f; immunity 483h; in animals 547d, 560a, 642b, 642e, 642f, 642g, 642h; lipoblastoma 537p; lipoma 609t, 709-l, 709m, 713h; lymphoma 673-l, 681j; medulloblastoma 688s; melanoma 564a, 574d; metastases 503b, 551p, 642-l, 659g, 686s, 716f; mixed 635b, 646q; myeloma 501t, 508i, 520f, 520t, 524s, 657j, 659s, 660o, 691p; myoma 621k, 627o, 714k; myxoma 716f; neurinoma 635p; neurofibroma 491k, 549k; neuroma 635r, 709p; osteochondroma 583n; osteofibroma 647s; osteoma 649c; papilloma 521a, 642c; pheochromocytoma 503v, 659m; plasmoma 501t, 512a; plasmosarcoma 507q; polypi 524q, 595e; seminoma 498m, 512r, 615c; teratoma 626w, 635c; ther. 671d; thymoma 522o
- TURKEYS**, dis. 640n
- TURNIPS**, 689v
- TWINS**, 496s, 512u, 580h, 655-l
- TYPHOID**, 544u; compl. & seq. 589n, 628b; epidemiol. & statist. 704s; imm. 707c; in Portugal 594v; pathol. 611k; ther. 513a, 528-l
- TYPHUS**, 510m, 592t; compl. & seq. 483s, 658n; diag. 522n; exper. 607p; imm. 615g; in Mexico 638a; in Peru 638b; pathol. 618e; prev. 682h; ther. 502k, 514a
- TYROSINE AND TYROSINE COMPOUNDS**, 489-l, 644c
- TYROTHRIN**, ther. 666i
- UDDERS**, 718v; dis. 718u; inflamm. 608u
- ULCERS**, 491j, 508h, 550v, 590w; ther. 516f, 548a
- ULTRAVIOLET RAYS**, 485s, 547h, 577a; eff. 489k, 500m, 523v, 536h, 547f, 607c; inj. eff. 556c
- UMBILICUS**, 538w
- UNDULANT FEVER**, 583m, 585k, 599s, 611s; blood in 584g; ther. 513n, 518g, 602a
- UNIVERSE**, 576u
- UNIVERSITIES**, 576m
- UNNA'S DISEASE**, 541q
- URANIUM**, nitrate 652b
- UREA**, 488o, 558-l, 565m, 643p, 719m, 719s
- UREASE**, 542o
- UREMIA**, 598f; compl. & seq. 592c; pathol. 537r; ther. 554b, 605f, 663q
- URETERS**, 606j; abnorm. 603t, 641i, 679w; calculi 716o; cancer 497q, 639g; dilation 559b, 716p; diverticula 717f; strict. 550j; surg. 509s, 526m, 558h, 639r, 667c, 717g; wds. & inj. 613r, 677s
- URETHANE**, 493i, 645e; ther. 551t
- URETHRA**, 504q; calculi 585i; dis. 718b; diverticula 497a, 512j, 548g; obstruct. 505i; roent. 558o; rupt. 716v; strict. 525n, 585h; surg. 605g; tumors 595e; wds. & inj. 559d
- URIC ACID**, 643o
- URINAL**, 717s
- URINARY TRACT**, abnorm. 665e; calculi 507e, 718a; dis. 558p, 589u, 604o, 640c, 674w; surg. 553a; tuberculosis 588d, 640b
- URINATION**, 716r; disord. 508a, 551t, 594r, 650s, 655o, 680w; incontinence 518p, 552c, 603t, 639v, 679w, 718a
- URINE**, amino acids 644a, 644t; Bence Jones protein 514j; bile pigments 528t; chlorides 553-l; exam. 716t; mannitol 608j; melanin 692q; morphine 497t; nitrogen 539d; pentose 565m; phosphorus 565m; sodium compounds 589g; sorbose 608i; steroids 492a, 521m, 558m, 584j, 651d; sucrose 608i; suppression 517a, 585k, 680w, 716m; urobilin 593r
- UROLOGY**, 604o, 639w, 718d; in France 590-l; prog. 710s
- URTICARIA**, etiol. & pathogen. 648o; papulosa 648g; pigmentosa 666m, 693p; ther. 595f
- UTERUS**, 599s; abnorm. 612-l; blood supply 657c; calculi 675f; cancer 497c, 497n, 497q, 529t, 548d, 550i, 564c, 580d, 609o, 612c, 656b, 660s, 674d; cervix 587m, 596m, 637d; contractions 656w; dis. 614a, 626b, 656d; displacements 512-l; excis. 497i, 521i, 529j, 550j, 604d, 610b, 655o, 655p, 671e; fibromyoma 656a; hemorrh. 503c; inversion 594g, 656c; irradiation 626b; leukoplakia 658f; myoma 657f; perf. 498o; physiol. 580c; prolapse 579q, 600r; rupt. 498o, 523-l, 594g, 669s; surg. 550d, 550j; tamponade 612s; torsion 636p; tumors 656i
- UVEA**, inflamm. 515c, 536v
- UVULA**, 625g
- VACCINATION**, compl. 690o
- VACCINES**, 661n
- VAGINA**, 655p; abnorm. 509b; cancer 497r; hemorrh. 660k; secretion 497n, 497u, 529t, 556w
- VAGOTOMY**, 551-l, 553s, 592h, 595p, 660q, 673p, 675s
- VAQUEZ' DISEASE**, 506o
- VARICOCELE**, ther. 665-l
- VARICOSE VEINS**, 590w; ther. 585s, 670n
- VAS DEFERENS**, abnorm. 717j; surg. 717k
- VASOMOTOR SYSTEM**, 713w
- VATER'S AMPULLA**, cancer 599b, 634u, 634v, 636g
- VECTOR SYSTEMS**, 702t
- VEGETABLES**, vitamin content 620a, 621a
- VEINS**, innominate 711t
- VENAE CAVAE**, obstruct. 660b
- VENEREAL DISEASES**, 488u, 559-l, 670p; hist. 673a, 718m; in U. S. 632b; prev. & control 515q, 517w, 559-l, 705a; ther. 594e
- VENOM**, eff. 585c
- VENTILATION**, 714h
- VERTIGO**, aural 566g, 623u, 624i, 625d
- VETERANS**, rehabilitation 537k
- VETERANS ADMINISTRATION (U. S.)**, 675h
- VETERINARY MEDICINE**, 572j, 719-l, 720o
- VIBURNUM**, 696q
- VINYL COMPOUNDS**, 550i
- VIOFORM**, 649i

- VIRUSES**, 493u, 495m, 500u, 514p, 522e, 582i, 606n; culture 703t; dis. 598j, 674q, 682i, 719d
- VISCERA**, cancer 666d; transposition 549j, 610i, 710u
- VISION**, acuity 621f; defective 522k, 602i, 616f, 622a, 687u, 688a, 702m; field of 687p; tests 621g, 623a, 623b
- VITALLIUM**, 487t
- VITAMINS**, 541h, 597o, 612m, 619w, 620q, 648p, 675j, 719t, 720a; A 542p, 608p, 620p, 652i, 662b; B 484w, 493j, 499b, 499c, 509m, 510c, 530d, 539d, 564b, 587h, 591r, 592i, 606a, 607b, 608q, 619r, 619s, 619t, 619u, 620a, 620c, 620-1, 644h, 645-1, 660h, 675t, 692g, 692h, 716c, 719b; D 505c, 538s, 540-1, 565g, 584v, 600k, 627u, 666n, 693r; E 613p, 651e, 673j; K 551u
- VITILIGO**, 649b, 649g
- VITREOUS HUMOR**, 517j, 535t
- VOCAL CORDS**, 624f
- VOCATION**, guidance 630q, 631c
- VOICE**, 623e, 691j
- VOMITING**, 573p; in animals 607k; in inf. & child. 632a
- VULVA**, dis. 501e
- VULVOVAGINITIS**, 499h
- WAR**, 516k; dent. serv. 532d; dis. 682t; med. serv. 531q, 531r, 592j, 682j; nutrition & food supply 586m; prisons & internment camps 488s, 533f, 545q; psychol. & psychiat. aspects 511s, 656r, 618r, 681m; vital statist. 506w; wds. & inj. 511q, 550r, 635v
- WASSERMAN REACTION**, 506r
- WASTES**, indust. 546g, 632g, 632h, 632i, 632j
- WATER**, 546h, 556a, 594s; metab. 514o, 529a, 558t, 595-1, 598a, 676j, 700u; pollution 544j, 632f, 653b, 705f, 706i; purification 544h, 544i, 632e, 632k, 697d; supply 632k
- WEBER-CHRISTIAN DISEASE**, 649q
- WHIPPLE'S DISEASE**, 597a
- WHOOPING COUGH**, 602i, 703t; bact. 581i; compl. & seq. 628m, 677t; diag. 628e, 695u; immun. 581j, 695f; ther. 516v, 523v, 526j, 600h, 693t; vaccine 514a
- WILMS' TUMOR**, 482m
- WIND**, 641m
- WOLFF-PARKINSON-WHITE SYNDROME**, 584u, 593v
- WOOL**, 464p, 585o
- WORMS**, 562h
- WOUNDS**, 666u; gunshot 492h, 511o, 571f, 684c, 711r; healing 547h, 709u; infect. 531t, 586a, 719h; ther. 532a
- WRIGHT STAIN**, 572j
- WRIST**, 641h; disloc. 548o; fract. 548o, 556o, 581r; wds. & inj. 546s
- XANTHINES**, 486k
- XANTHOMA**, 677j, 678j
- XERODERMA**, 521v
- XEROSTOMIA**, 570h
- XYLIDINE**, 658b; eff. 698u
- YAMS**, 620g
- YEAST**, 486i, 542-1, 577q; metab. 542j
- YELLOW FEVER**, immun. 637v
- ZINC**, hydroxide 494b



St,  
3b,  
097d;

mpl.  
581j,  
ne

4u,

711r;  
ther.

581r;

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12

1070-12